- begin assembly of this item. Refer to part list and hardware list below for guidance \* Please make sure that you have all parts indicated and they are in good condition before you
- assembly. \* This item should be assembled on a soft surface to prevent scratching the finish during
- \* This item may require periodic tightening
- email customersupport@safavieh.com \* If you are having difficulty, our friendly Customer Care team is always here to help. Please

### PREPARATION

- part contents list and hardware contents list. Before beginning assembly of product, make sure all parts are present. Compare parts with
- \* If any part is missing or damaged, do not attempt to assemble the product.
- \* Estimated Assembly Time: 10 minutes.
- \* Tools Required for Assembly (included): Allen Key

## MARBLE CARE


with water. harsh solvents, and abrasives. Cleaning should be done with a soft lint free cotton cloth dampened can discolor marble. Wipe up spills immediately and avoid common hazards such as hot dishes, Always use felt pads under all articles to prevent discoloration. Plastic and rubber bases on items

σ	Þ	PIECE	
LEG FRAME	TABLE TOP	DESCRIPTION	Part List an
		PICTURE	Part List and Hardware List
2X	1X	QUANTITY	
2 of 2	1 of 2	CARTON CALL	
Weight capacity - 200 LBS Warning: Do not stand on Table Warning: Do not over torque bolts	<b>▶</b> WARNING ▶		

# SAFAVIE

Model #: SFV7220


Product Demensions: 78 3/4"W x 35 3/8"D x 29 1/2"H



HW4	нw3	HW2	HW1	C
Allen key	Flat Washer: M8x20 mm	Split Lock Washer: M8	Bolt: M8x1.25x25 mm	STRETCHER
	(0)	6		
1×	20X	20X	20X	1x
2 of 2	2 of 2	2 of 2	2 of 2	1 of 2

#### REPARATION

- \* Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.
- \* If any part is missing or damaged, do not attempt to assemble the product.
- \* Estimated Assembly Time: 10 minutes.
- \* Tools Required for Assembly (included): Allen Key
- \* If you are having difficulty, our friendly Customer Care team is always here to help. Please email customersupport@safavieh.com



STEP1: USING A SECOND PERSON TO ASSIST YOU, PLACE THE TABLE TOP (A) UPSIDE DOWN ON A CLEAN, SCRATCH FREE SURFACE. SECURE THE TABLE TOP (A) TO THE LEG FRAME (B) BY USING THE ALLEN KEY (HW4) TO SCREW IN THE BOLTS (HW1) THOUGH THE SPLIT LOCK WASHERS (HW2) AND THEN THE FLAT WASHERS (HW3), AS SHOWN. DO NOT FULLY TIGHTEN THE BOLTS

STEP2: ATTACH THE STRETCHER (C) TO THE LEG FRAME (B) BY USING THE ALLEN KEY (HW4) TO SCREW IN THE BOLTS (HW1) THOUGH THE SPLIT LOCK WASHERS (HW2) AND THEN THE FLAT WASHERS (HW3), AS SHOWN. ONCE ALL HARDWARE HAS BEEN INSTALLED, USE THE ALLEN KEY (HW4) TO FULLY TIGHTEN THE BOLTS. USING A SECOND PERSON TO ASSIST YOU. CAREFULLY TURN THE ASSEMBLED TABLE UPRIGHT.