


Item # : BS68STR
Assembly Instructions




Please visit our website for the most current instructions, assembly tips, report damage, or request parts. www.walkeredison.com


Revised 03/2018


General Assembly Guidelines

- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The two main types of hardware used to assemble this product are : screws and bolts.
- V. A Phillips head screwdriver is required for the assembly of this product .



VI. Power tools should not be used to assemble this product.





Hardware List

Α		Ø1/4"x12mm	Bolt	16	pcs
В		Ø1/4"x25mm	Bolt	24	pcs
С		M4x12mm	Bolt	1	рс
D			Nut	1	рс
E			Wrench	1	рс
F		Ø4x14mm	Screw	4	pcs
G		M 4	Hex Key	1	рс
Н			Anchor	2	pcs
J	(2)	Ø4x55mm	Screw	2	pcs
K		Ø6x16mm	Washer	2	pcs




Philips head screwdriver required for assembly (not included)

The hardware quantities listed above are required for proper assembly.


Some extra hardware may also have been included.






Attach part (3,4,5) to part (1) using bolt (A,B) with hex key (G).







Attach part (7) to part (4,5) using bolt (B) with hex key (G).




Attach part (7) to part (3,4) using bolt (B) with hex key (G).








Attach part (7) to part (3,4) using bolt (B) with hex key (G).




Attach part (7) to part (4,5) using bolt (B) with hex key (G).






Attach part (6) to part (3,4) using bolt (A) with hex key (G).

Step 8




Attach part (7) to part (4,5) using bolt (B) with hex key (G).




Attach part (2) to part (3,4,5) using bolt (A,B) with hex key (G).

Step 10



Attach part (8) to part (8) using bolt (C) with a screwdriver and nut (D) with wrench (E).






Attach part (8) to part (3,5) using screw (F) with screwdriver.

Step 12




Wall

Measure height for bracket in desired location. Insert anchor (H) into wall at desired location.



Secure furniture to anchor (H) in wall using washer (K) and screw (J) with a screwdriver.

Step 14



Final Assembly