
DOWELL

024 Series Bathroom CabinetINSTALLATION GUIDE





INSTALLATION INSTRUCTIONS


- 1. INSTALLATION IS AN ACCEPTANCE OF QUALITY
- 2. ANY MODIFICATION OR ADAPTION TO THIS PRODUCT WILL INVALIDATE THE GUARANTEE FOR ALL REASONS, OTHER THAN A GENUINE MANUFACTURING FAULT WHICH HAS NOT BEEN CAUSED BY THE MODIFICATION OR ADAPTION
- 3. THIS PRODUCT IS SUPPLIED WITH FIXINGS SUITABLE FOR SOLID WALLS ONLY. IT IS THE CUSTOMER'S RESPONSIBILITY TO ENSURE THAT THE FIXINGS USED ARE SUITABLE FOR THE WALL THAT THE PRODUCT IS BEING FITTED TO, AND THAT THE WALL IS CAPABLE OF SUPPORTING THE PRODUCT'S TOTAL WEIGHT (SEE PACKAGING FOR GROSS WEIGHT)


Product care advice


- 2. Weekly cleaning of the unit is recommended with a clean soft cloth and war water. Take care not to soak the unit when cleaning the cloth should only be To clean the basin use soap or mild detergent do not use strong acid / alka cleaners. DO NOT USE ABRASIVE LIQUIDS OR ABRASIVE CLEANING PA CLEAN THE UNIT OR BASIN, AS THIS WILL SCRATCH THE SURFACE AN CAUSE THE PRODUCT SURFACE QUALITY TO DETERIORATE!
- 3. After use (and cleaning), be sure to dry the unit with a soft dry cloth take c avoid leaving excess water on any part of the unit. Pools of water left on the u time can cause surface discoloration and / or water ingress.
- 4.Do not directly expose the unit or basin to water temperatures of more than
- 5. Try to avoid installing the unit where it may be subjected to long periods of sunlight, as prolonged UV exposure may cause surface discoloration.
- 6. Do not use 'super-glues' to fix any parts together during installation only us dedicated silicone sealant where advised to do so.




24" Vanity Drawing












Basin Options













30" Vanity Drawing












Basin Options








000 3018BP & 000 3018BP-BL

000 3018BT

000 2418B



Tools Required



Box Contents:

[a] * X24	[b] 🔯 🔯 X3
[c] X4	

