KBU22E

Outlast 32 Inch Undermount Double Bowl Stainless Steel Kitchen Sink



Sink Dimensions

Overall Dimensions: 32 1/4" x 18" Bowl Dimensions: 14 1/2" x 16 1/4" Sink Depth: 8 3/8"

Features

- 16 Gauge Stainless Steel Construction
- Double Bowl Undermount Pressed Sink
- Required Minimum Cabinet Size: 36" Left to Right, 24" Front to Back
- Rear Center-Set Drains
- 3 1/2" Drain Opening
- NoiseDefend Undercoating and Sound Dampening Pads

Accessories Included

- Basket Strainer BST-1 & ST-1
- Bottom Grid KBG-22 x 2
- Cut-Out Template
- Mounting Hardware
- Towel

CODES/STANDARDS:


Product Certification

cUPC (ASME A112.19.3/CSA B45.4)

Warranty

Kraus Limited Lifetime Warranty see website for details www.kraususa.com





KBG-22

Stainless Steel Kitchen Sink Bottom Grid




Grid Dimensions

Overall Dimensions: 14 1/2" x 12 3/8" x 1 1/4"


Features

- Commercial grade stainless steel construction
- For Use with the KBU-22 and KBU22E kitchen sinks
- Protects bottom of sink from daily wear and tear
- Rubber feet provide additional protection



Warranty

Kraus One Year Limited Warranty see website for details www.kraususa.com





Kräus SPECIFICATION SHEET

BST-1

Stainless Steel Basket Strainer

Basket Strainer Dimensions

Overall Dimensions: 4 1/2" x 4 1/2"


Features

- Premium Stainless Steel Construction
- Fits Standard 3 1/2" or 4" Drain Openings
- Removable Basket Prevents Debris from Clogging Drain Pipe

Warranty

Kraus Limited Lifetime Warranty see website for details www.kraususa.com









Strainer Dimensions

Overall Dimensions: $\phi 4\ 1/2"\ x\ 3\ 3/4"$

Features

- Premium Stainless Steel construction
- Fits Standard 3 1/2" or 4" Drain Opening
- Open/Close Stopper Prevents Debris from Clogging Drain Pipe

Available Finishes

• Stainless Steel



Warranty

Kraus Limited Lifetime Warranty see website for details www.kraususa.com

