

Audrie 6 Light Chandelier (LED)**F2954/6****1.2****FEISS®**

EST. 1955

Chandelier**GENERAL PRODUCT INFORMATION:**

These fixtures are intended to be installed utilizing NEC compliant junction boxes.


This product is safety listed for damp locations.

This instruction shows a typical installation.

CAUTION - RISK OF FIRE

This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.

Use minimum 90°C supply conductors.




- 1** Determine the height of the fixture with the provided stems and connectors, then assemble them by screwing them together.
- 2** Secure the mounting plate to the electrical box with two mounting plate screws.
- 3** Feed the fixture wires through the stems and screw the stem assembly to the pendant.
- 4** Feed the fixture wires through the canopy and screw the canopy onto the stem assembly.
- 5** Connect the fixture to a suitable ground in accordance to local electrical codes.
- 6** Connect the red and blue driver wires to the appropriate fixture wires with wire nuts.
- 7** Connect the white driver wire to the neutral power line wire with a wire nut.
- 8** Connect the black driver wire to the hot power line wire with a wire nut.
- 9** Neatly place the driver and wires into the electrical box and/or canopy, then place the canopy onto the mounting plate and secure it in place by screwing in the fixture screws.

PRECAUCIÓN: RIESGO DE INCENDIO

Este producto debe instalarse de acuerdo con el código de instalación aplicable por una persona familiarizada con la construcción y operación del producto y los riesgos que conllevan.

Utilizar conductores de suministro mínimo 90° c.



- 1** Determinar la altura de la lámpara con los tallos proporcionados y conectores, luego ensamblarlos atornillándolos juntos.
- 2** Fije la placa de montaje a la caja eléctrica con dos tornillos de la placa de montaje.
- 3** Pasar los cables de la lámpara a través de los tallos y atornille el tallo para el colgante.
- 4** Pasar los cables de la lámpara a través de el dosel y atornille el dosel en el ensamble de la tallo.
- 5** Conectar la lámpara a una tierra apropiada de acuerdo a los códigos eléctricos locales.
- 6** Conecte los cables rojo y azul del conductor a los cables apropiado de la lámpara con tuercas de alambre.
- 7** Conecte el cable conductor blanco al cable neutro línea con una tuerca para hilos.
- 8** Conecte el cable conductor negro al cable de línea caliente potencia con una tuerca de alambre.
- 9** Cuidadosamente Coloque el conductor y los cables en la caja eléctrica o dosel, luego colocar el dosel en la placa de montaje y asegúrelo en su lugar apretando los tornillos de la lámpara.

SAVE THESE INSTRUCTIONS!

FEISS[®]

EST. 1955

7400 Linder Ave, Skokie, IL 60077

800.969.3347

www.Feiss.com

© 2017 Feiss. All rights reserved. The "Feiss" graphic is a registered trademark of Feiss. Feiss reserves the right to change specifications for product improvements without notification.

A Generation Brands Company