User's Manual



INSTALLATION INSTRUCTIONS

Installation Manual







BEFORE INSTALLATION

NO.	Item	Qty
1	Spout Cover Plate	1
2	Spout	1
3	Embedded Body	1
4	Handle Cover Plate	1
5	Handle	1
6	Accessory bag	1



Check accessories

0

Standard List of Accessories: When you open the product packaging, please check whether the objects in it are consistent with the main body and accessories you purchased. If there is any inconsistency, please contact our company or our distributor. Note: 1.Accessories are subject to change without prior notice if the change does

not affect usage;2. The appearance of the product is subject to the physical objects you receive, and the schematic diagram is only for reference.

INSTALLATION STEPS

This product has been inspected and

debugged by the factory to the best

condition. Please do not disassemble

and assemble it yourself.



1. Dig pipe grooves for pre-burying pipes.



3. Stick the tiles. (Refer to Figure 4 for important dimensions)



Before installing the faucet, please be sure to remove sundries and sludge from the water pipe to prevent sundries from blocking the faucet.

2. Install waterfall outlet and faucet body.



4. The water outlet of the waterfall is slightly lower than the tile surface.



5. Cover the waterfall spout with a decorative cover. (wrap the PTFE tape on the thread).



INSTALLATION STEPS

6. Tighten the waterfall spout clockwise. Close the decorative cover to the wall.



7. Install the main body cover plate and handle.



INSTALLATION DIMENSION



CLEANING CARE

In order to keep the appearance of faucet clean, bright and good

- performance, please take care of the faucet as follows;
- 1.Rinse with water only and dry with soff cotton cloth;



- 2.Use mild liquid and colorless glass cleaner to remove surface dirt and scale film, or use polish without abrasive effect;
- 3.Do not use abrasive deterfgent, polish, emery cloth, paper towel or scraper, etc.;
- 4.Do not use acid cleaner, or cleaner and soap with insoluble gran etc.;

5. In the process of use, mud my accumulate in the bubbler and make the water flow show, The bubbler can be unscrewed, rinsed with water, and then installed back in place.

