#### CARE AND MAINTENANCE

Spot clean using a mild water-free solvent. Only a professional cleaner should undertake a complete overall cleaning.

The use of steam or water-based cleaners may cause excessive shrinking or staining. NOTICE

\* Please make sure that you have all parts indicated before you begin assembly of this item

\* This item should be assembled on a soft surface to prevent scratching the finish during assembly

\* This item may require periodic tightening


# Part List and Hardware List



Model# ETG3500

Product Dimensions : 36.0"W x 14.6" D x 78.0" H

| PIECE | DESCRIPTION  | PICTURE | QUANTITY |
|-------|--------------|---------|----------|
| A     | TABLE TOP    |         | 1X       |
| В     | SHORT POST   |         | 4X       |
| С     | MIDDLE SHELF |         | ЗX       |
| D     | LONG POST    |         | 12X      |
| E     | SHELF        |         | 1X       |
| F     | BUNFOOT      |         | 4X       |




# PREPARATION


Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.


2

If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 10 minutes.







# Step 1

Insert Bolted end of Post (B) into hole on bottom of Table Top (A). Twist 4 Short Posts clockwise until tight.

## Step 2

Position Middle Shelf (C) on Short Posts (B) so that holes on Middle Shelf align with holes on Short Posts. Insert Bolted end of Long Post (D) into hole on end of Foot (F) into hole on Shelf and Post. Twist Middle Shelf and Post. Twist 4 Long Post clockwise until tight. Repeat for Other Middle Shelf and Long Post

## Step 3

3

Position Shelf (E) on Long Posts (D) so that holes on Shelf align with holes on Posts. Insert Bolted 4 Foot clockwise until tight.