Features Lapa T7.16

• Modern Wall-Mounted Bathroom Faucet with 1-Handle

- Single handle lever controls water flow and temperature
- Brushed Stainless Steel Finish (AISI 304)

• Requires 2-Hole Installation

Flow Rate: 1.5 GPMSpout Reach: 9.1"



Finishes

Brushed Stainless Steel


Collection Lapa Model | Lapa T7.16 Dimensions Metric

1 inch = 2.54 cm 1 inch = 25.4 mm




1051 Lea Drive - Collegeville, PA 19426 Tel. 215 513 9400 - Fax 610 831 0215

www.wsbathcollections.com - info@wsbathcollectins.com



Product Specs Sheets / Parts Diagram

Note: Item Fully Assembled



	TECH	NICAL DATA
Νō	REFERENCE	DESCRIPTION
01	_	AERATOR
02	_	CARTRIDGE
03	_	WALL MOUNTED HANDLE PLATE
04	_	HANDLE
05	_	WALL MOUNTED SPOUT PLATE
90	_	MIXER BODY
07	_	SPOUT
80	_	AERATOR KEY
09	_	UMBRAK SCREW
10	_	UMBRAK KEY
11	_	LOCKNUT
12	_	CARTRIDGE CONCEALER

INSTALLATION RECOMENDATIONS

Before installing a tap, it is good to rinse the supply pipes to remove all residues. We also recommend installing the taps with a filter. The installation of the tap must be done with the surface clean and dry. to perform the water pressure test, the taps must be open.

CLEANING AND MAINTENANCE

Cleaning must be done with liquid soap and water. Do not use liquid detergents containing abrasive or acidic substances, abrasive sponges or disinfectants. Incorrect cleaning may permanently ruin the surface of taps.

On color finishings, do not use products containing alcohol, acetone and other solvents.

Collection Lapa Model | Lapa T7.16 Dimensions Metric

1 inch = 2.54 cm 1 inch = 25.4 mm



1051 Lea Drive - Collegeville, PA 19426 Tel. 215 513 9400 - Fax 610 831 0215

www.wsbathcollections.com - info@wsbathcollectins.com