





Assembly Instructions

Note: Please help to read my instruction before you ready to assemble.










Swivel Chair



Part List



Label	Picture	Description	QTY (PCS)
A		Seat Frame	1
B		Backrest	1
C		Swivel	1

Hardware

①		Double Head Insert	2
②		Screw Arbor	1
③		Flat Washer(M8)	1
④		Spring Washer(M8)	1
⑤		Butterfly Nut	1
⑥		Bolt(M6*30MM)	4
⑦		Flat Washer(M6)	4
⑧		Spring Washer(M6)	4
⑨		Allen Wrench	1

Assembly Preparation

All Including:




NOTICE:

- Please read the instruction from cover to cover in detail.Thanks.
- Installed by at least two adults
- To avoid damaging your furniture , Please don't assemble on flooring or carpet.
- Please assemble on a clean non-marring surface, example for packing foam.
- Saving all packaging until have finished.

Assembly Steps


OVERVIEW



This Swivel Chair has multiple parts and may require up to 60 minutes to assemble. To give you an overview of the Swivel Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.


Note: It is recommended that you have an adult partner to assist during the entire assembly process.

Step 1



Open the carton and place all the parts on a clean, non-marring surface.
Zipper to open the bottom of Seat Frame(A). Remove the Backrest(B) and Hardware package from the bottom of Seat Frame(A).

Step 2




Step2.1 Install the Double Head Insert(①) into the bottom of Backrest(B).

Repeat the same process with the other one.


Step2.2 Install the Screw Arbor(②) into the bottom of Backrest(B).

Step 3




Turn the Seat Frame(A) right side up.install the Backrest(B) into Seat Frame(A) as picture showed.

Step 4



Position the Seat Frame(A) bottom up.using Butterfly Nut(⑤),Spring Washer(④),Flat Washer(③) onto the Bolt by hand turning clockwise until tight.

Step 5




Put the Swivel(C) on the Seat Frame(A) first, then using Bolt(⑥), Spring Washer(⑧), Flat Washer(⑦) with Allen Wrench(⑨) turning clockwise until tight.

Repeat the same process with remaining Bolts.

Caution: Watching your finger do not stuck into the Swivel when processing.

Step 6



Your Swivel Chair is ready for use.

This Swivel Chair can only be used on a flat, level surface.