

# FMC8010-BE/8058-BE/8090-BE MEDICINE CABINET



### **TOOLS REQUIRED FOR ASSEMBLY**














SIDE BRACKET




SIDE MIRROR

C

#### SUPPLIED PARTS



# MEDICINE CABINET DIMENSIONS Model SKU Width A Height B Depth FMC8058-BE 19 1/2" 26" 5" FMC8090-BE 29 1/2" 26" 5" FMC8010-BE 39 1/2" 26" 5"





ALL DIMENSIONS & SPECIFICATIONS ARE APPROXIMATE AND SUBJECT TO CHANGE WITHOUT NOTICE.



RISK OF PROPERTY DAMAGE. USE ANCHORS RATED FOR THE LOADED WEIGHT OF THE PRODUCT. REFER TO THE ANCHOR MANUFACTURER'S INSTRUCTIONS.



FMC8010-BE/8058-BE/8090-BE INSTALLATION GUIDE


PAGE 1




# FMC8010-BE/8058-BE/8090-BE MEDICINE CABINET







Level and mark the medicine cabinet's location on the wall from point a to point b.



IMPORTANT:

Consult an expert for the proper screws/bolts to use when attaching to various constructions. Screws provided do not attach to all wall construction types. Anchors are not required if brackets are installed in stud.



Level and mark.

INSTALLATION GUIDE




Drill the holes in the wall with anchors in the a 3/16" drill bit. holes.




Insert the




Attach bottom bracket to the wall.




With assistance, rest the medicine cabinet on the bottom mounting bracket and hold it in place.




Hold the medicine cabinet (A) while it's placed on the bottom bracket, then secure by fitting the top bracket (H) on top of the medicine cabinet, and attach the top bracket (H) to the wall.




Align mirrored side panels (C) to each side of the medicine cabinet.




Attach mirrored side panels to the medicine cabinet using a screwdriver and provided screws (D).




Push and twist the snapin pins (J) into place.



Fill remaining holes with the plugs (K).



Push a side of the shelf (E) into left or right pins (J).



Snap the shelf (E) down into the opposite side.




MC8010-BE/8058-BE/8090-BE INSTALLATION GUIDE




# FMC8010-BE/8058-BE/8090-BE MEDICINE CABINE INSTALLATION GUIDE




## **RECESS-MOUNT INSTALLATION**




Draw the perimeter of the medicine cabinet on the wall.



Place and hold the medicine cabinet in the cutout opening.




Frame the cutout opening.



Cut the marked perimeter with appropriate tool.


| ROU | GH IN DI | IMENSION | S |
|-----|----------|----------|---|
|     | 1475     | 7/1      |   |

| Model SKU  | Width A | Height B | Depth  |
|------------|---------|----------|--------|
| FMC8058-BE | 18 3/4" | 25 1/8"  | 3 3/4" |
| FMC8090-BE | 28 5/8" | 25 1/8"  | 3 3/4" |
| FMC8010-BE | 38 3/8" | 25 1/8"  | 3 3/4" |




Level, then secure the medicine cabinet with the screws (G) through the mounting holes into the framing studs.


6




Choose the position for your shelves then push and twist the snap-in pins (J) into place.

### 4 STEPS TO FRAME THE CUTOUT OPENING






a. Push a side of the glass shelf (C) into left or right pins (J).



b. Snap the glass shelf (C) into the opposite side.

c. Fill remaining holes with the plugs (K).



This screw allow you to adjust pitch side to side.

This screw releases cabinet's door and allows up and down adjustment.

This screw allow you to adjust the gap between doors.

Illustration A.



**OBJECT 10.1 OBJECT 10.1 O** 

PAGE 3