



·

Congratulations!

We hope you will have many hours of enjoyable use with your new Foosball Table!



PLEASE KEEP YOUR INSTRUCTIONS!

• Your Model number is necessary should you need to contact us.

- Please read through this instruction book to familiarize yourself with all the parts and assembly steps.
- Refer to the Parts Identifier and verify that all parts have been included.



This is not a child's toy. Adult supervision is required for children playing this game. Please read instructions carefully. Proper use of this set can avoid damage or injury.



BEFORE ASSEMBLY:

- Did you receive <u>1</u> box?
- Did you inspect your playfield/main table frame before assembly? It is not replaceable and must be returned to the original place of purchase if damaged.



TOOLS REQUIRED FOR ASSEMBLY:

- Phillips and Slotted Head Screwdrivers / or Power Driver (not included)
- · Allen Wrench (included)

ASSEMBLY INSTRUCTIONS:

We recommend that two adults work together to assemble this table.

- The table will be assembled upside down This is a very heavy table and turning it right side up will require at least two strong adults.
- We suggest that you use the bottom carton as a clean flat work area
- to protect the top of your foosball table while assembling.

Parts List



Parts List



Step 1:

Screw #7 tenon in to #3 Leg A, #4 Leg B, and #6 Wood blocks.

Screw #24 iron rod in to #4 Leg B.Repeat these steps for both sets of legs.



Step 2:

Attach #4 Leg B through #2 Left Leg using .tight with #22 washer and #20 bolt.



Step 3:

Attach #3 Leg A through .



Step 4:

tightening with #27 washer and #28 nut. Repeat this process for both legs.



Step 4:

Attached the assembled leg set to the main cabinet using #22 washers and #21 bolts



Step 6:

Attach #5 leg connector to both assembled legs using #22 washer and #20 bolt.



Step 7:

Using two strong adults turn the table right side up. Tear off the paper from #23

trim and paste on both side edges of the playfield.

Insert #6 wood block on to leg, repeat on both sides.



Step 8:

Note: set the rods into the right position according to the artwork.

The players of each team should be right-side up, facing their opponent's goal, follow the diagram below for proper rod placement

Slide one end of the player rods (#8, #9, #10) through the main cabinet according to the diagram below to identify where the two, three, and five player rods go in the cabinet.

Player rod assembly:

Place one #14 bumper & one #13 washer on the rod Place the appropriate number of Attach #11 and #12 players to the rod #8 #9 and #10. Using #15 screw and #16 lock nut Place one #13 washer & one #14 bumper on the other end of rod.Slide the rods through the other end of the cabinet

Repeat the process for each rod





Step 9:

Attach the #17 handle to the rods using #18 screw. Put the #19 rod end cap on the other end



Step 10:

Attach the #26 ball entry cup to the main cabinet using #25 screw.

Then assembly is complete.

