

THANKS FOR WATCHING

Your feedback is invaluable to us and we would love to hear about your experience. Please take the time to leave us a review.

Installation instructions

How To Install A Farmhouse Sink

Before you begin your installation, read the entire installation instructions. Be sure to observe all local plumbing and building codes.


Use assistance when lifting the sink in order to avoid personal injury. We recommend consulting a professional if you are unfamiliar with installing kitchen fixtures and plumbing.

TOOLS AND MATERIALS:



Installation Options

We recommend undermount sink installation. Flush-mount and built-up installation are not ideal for farmhouse sink installation.



Undermount Installation Flush mount Installation Built-up Installation


Installation instructions

Caution

All installation types need to allow room for faucet installation. Ensure adequate clearance behind the sink for any faucet and backsplash, as well as full range of motion for faucet spouts and handles.

Installation Steps

1. Prepare the Sink Base Cabinet



Farmhouse sinks may require custom cabinetry. We recommend consulting an experienced cabinet maker for assistance. Providing the cabinet maker with the actual sink that will be installed will ensure a custom fit. Allow clearance for the water supply lines, drains, and garbage disposal underneath the

sink.

Build a support frame or install support bars from front to back, along the inner sides of the cabinet. The frame must support the weight of the sink and all attachments.

The support frame should be positioned so that when installed, the sink is in line and level with the top of the cabinet.

Installation instructions

- Improper applications (such as exposure to corrosive chemicals, photographic solutions, etc.)
- Any modifications made to the product after it left premises
- Commercial application
- Scratches - Due to use SINK ACCESSORIES

We carries a 1 YEAR LIMITED WARRANTY ON ALL SINK ACCESSORIES to be free of all manufacturing defects under normal use.

These warranties supersedes all other warranties, expressed or implied.

The foregoing warranties are exclusive and made only to the buyer. No other warranty, whether express, implied, or statutory, including any warranty or merchantability or fitness for a particular purpose shall be deemed to exist in connection with any of the goods or services supplied hereunder, and any implied warranties for a period greater than the warranty period contained in this limited warranty are hereby excluded.

We shall not be liable for any indirect, incidental, special or consequential damages in any way related to the goods or services supplied hereunder. No employee, agent, or other person is authorized to give any warranties on behalf of us in addition to or different from the herein given to assume for us any other liability in connection with any of its products except if in writing is signed by an officer of our company and expressly and intentionally gives such warranties or assumes such liability.

Installation instructions

Limited Sink Warranty

We will replace without charge, (excluding labor & transportation costs) any fireclay sink that is proven to be defective, with an equivalent replacement, within 90 days from date of purchase, to the original owner, provided it has been used solely in a residential application and installed in accordance with this installation instructions, used and cleaned as recommended, and not damaged due to abuse, misuse, or negligence.

In the event of a warranty claim, the owner will be required to provide proof of purchase in the form of sales receipt.

This warranty will not cover any damages which might be caused by the product. (Some states do not allow such limitation, so this reference may not apply to you.)

We reserves the right to inspect any sink reported to be defective prior to replacement of the sink. All decisions are final. Replacement cost EXCLUDES transportation and any labor costs for the removal or reinstallation.


Fireclay is virtually carefree, but yet it can be scratched and harmed by certain chemicals. Simple cleaning techniques and use of bottom sink grids can keep your sink looking great everyday.

We shall not liable in case of:

- Improper installation/modification
- Damages resulting from abuse, such as heavy impact or dropped objects
- Improper care or maintenance


Installation instructions

2. Prepare Countertop and Cutout



Because each sink will vary dimensionally, no template is provided. Center the sink on the countertop and trace the outline with a pencil to use as a guide for the cutout. Remember to allow clearance for any faucets and/or backsplashes. Cut the countertop accordingly.


3. Test fit the sink and adjust



Test fit the sink in the opening that was created in the previous steps. The entire weight of the sink should be supported by the support frame. Verify that the sink is in line and level with the top of the cabinet. Use wood shims, if needed, to level the sink.


Installation instructions

4. Set the Sink



Set the sink in place and fill in any gaps below the sink front and between the sink and countertop with silicone sealant.

5. Install the Countertop



Hold the sink in place to secure. Place the countertop onto the sink and remove any excess sealant from all surfaces. Allow the silicone to dry for 24 hours. Install your drain, faucet, and other accessories according to the installation instructions.

Installation instructions

Suggestions for the Care and Cleaning of Fireclay Sinks

When it comes to maintenance, recommends to be consistent in your cleaning. It is better to clean on a more frequent basis and avoid the need for heavy duty cleaning. Make sure your sink is clean and dry when not in use. This is the best method of preventive maintenance.

Use a soft, non-scratching sponge or cloth and a standard liquid soap for everyday cleaning. Use a vinegar-based, non-abrasive liquid or cream cleaner for tough stains. To avoid scratching, do not use highly aggressive cleaners such as scouring liquids and powders or drain cleaners.

Care Tip

Allowing water to evaporate can form water deposits. To avoid this and keep your product looking beautiful, it is important to wipe the sink clean with a soft cloth after each use.

Limited Warranty

All fireclay sinks feature a Limited Warranty to be free of all manufacturing defects under normal use.