

	PRODUCT SPECIFICATIONS  OVERALL ASSEMBLED DIMENSIONS HEIGHT: 147.3 CM (58"), WIDTH: 42 CM (16-1/2") DIA.					
	<u>1 LIGHT:</u> UL APPROVED FOR WET LOCATION, 100 WATT, MEDIUM BASE E-26 CERAMIC SOCKET. ON/OFF PUSH BUTTON SWITCH.					
	SHADE: CREAM TAPERED DRUM SHADE, 34.3 CM (13-1/2") DIA. (TOP) x 42 CM (16-1/2") DIA. (BOTTOM), SLANT HEIGHT: 30.5 CM (12"). THE SHADE FABRIC CONTENT: 20% COTTON AND 80% TERYLENE.					
	GLASS DOME: CLEAR GLASS, 9.8 CM $(3-7/8")$ DIA. $\times$ 14 CM $(5-1/2")$ HEIGHT, SHAPED AS SHOWN.					
	CUP: PAINTED STEEL, 10 CM $(3-7/8")$ DIA. MAX. $\times$ 7 CM $(2-3/4")$ HEIGHT, SHAPED AS SHOWN.					
	COLUMN: PAINTED RESIN, 7.6 CM (3") SQ. x 2.5 CM (1") HEIGHT, SHAPED AS SHOWN.					
	POLES: PAINTED STEEL, 3.8 CM $(1-1/2")$ DIA. TUBING, 33.5 CM $(13-3/16")$ LENGTH, $(2)$ POLES PROVIDED.					
	BASE: PAINTED LIGHT CONCRETE, 24.1 CM $(9-1/2")$ SQ. MAX. x 47.6 CM $(18-3/4")$ HEIGHT, SHAPED AS SHOWN.					
	CORD: UL APPROVED FOR WET LOCATION, MIN 305 CM (10 FT.) LENGTH, 18 AWG., 3 CONDUCTORS, 105°C, TYPE JIT—W, WATER PROOF. BLACK COLOR. WIRES MUST BE LEAD FREE.					
	LABELS: UL AND CSA OR CUL, MANUFACTURING DATE, MODEL # AND COUNTRY OF ORIGIN LABEL PROVIDED. RELAMPING LABEL FOR 100 WATT MAX. TYPE "A" BULB PROVIDED NEAR SOCKET.					
	PACKAGING AND SHIPPING DETAILS  THE LAMP IS DISASSEMBLED FOR SHIPPING. EACH PART IS CAREFULLY WRAPPED IN A PLASTIC BAG AND PLACED SECURELY IN THE INNER PACKING SO IT CAN NOT MOVE AROUND DURING SHIPPING. A SMALL BAG OF SILICA IS INCLUDED IN THE PACKAGE.					
	THE CARTON IS MADE OF DOUBLE WALL, CORRUGATED CARDBOARD "A MA A". BROWN IN COLOR. THE INNER PACKING IS DIE—CUT CARDBOARD OR STYROFOAM TO PROTECT AND SECURE THE LAMP AND MUST PASS THE FEDEX AND ISTA—3A DROP TEST REQUIREMENTS.					
	EACH CARTON SHALL BE PRINTED WITH A LINE DRAWING AND THE KENROY HOME NAME AND LOGO, MODEL NUMBER AND FINISH, EACH CARTON SHALL BE PROVIDED A UPC LABEL. THE UPC BAR CODE AS FOLLOWS: COQN=053392005887.					
	OTHER DETAILS MODEL 32269COQN INSTRUCTIONS ARE TO BE PACKED WITH EACH LAMP. INSTRUCTIONS MUST BE PRINTED CLEARLY ON QUALITY PAPER.					
	ALL VISIBLE METAL PARTS MUST MATCH LAMP FINISH UNLESS OTHERWISE SPECIFIED.					
	ALL BAGS MUST BE LABELED WITH OFFICIAL "THIS BAG IS NOT A TOY" STATEMENT.					
	LAMP MUST REST FLAT ON SURFACE AND NOT ROCK. LAMP MUST PASS 12° TILT TEST.					
	ASSEMBLY TIME: 10 MINUTES.					
	DIMS OF BOX: $54.6$ CM $(21-1/2")$ LENGTH X 47 CM $(18-1/2")$ WIDTH X 61 CM $(24")$ HEIGHT. (CUFT.: $5.52'$ )					
	□ NET WEIGHT: 15.4 LBS. GROSS WEIGHT: 20.9 LBS.					
	] THIS ITEM MUST BE UL APPROVED FOR WET LOCATION,					
☐ THE UL NUMBER IS E229128.						
K	ENROY	THIS DOCUMENT AND THE INFORMATION THAT IT DISCLOSES IS THE EXCLUSIVE PROPERTY OF KENROY HOME. ANY REPRODUCTION OR USE OF THIS DRAWING IN PART OF IN WHOLE WITHOUT THE EXPRESS CONSENT OF THE			REVISION DATE:	MODEL #:
HOME		DRAWING IN PART OR IN WHOLE, WITHOUT THE EXPRESS CONSENT OF THE PROPRIETOR IS PROHIBITED. © 2012 KENROY HOME.  DATE: SCALE: DRAWN BY:			REVISION DATE:	32269COQN FINISHES:
JA	23 Regent Boulevard CKSONVILLE, FL. 32224	11/26/2012 REFERENCE:	NONE NONE	JAMES  APPROVAL:	REVISION DATE:	COQUINA
	IONE: 904-642-4340 X: 904-642-4150	PATIO OUTDOOF	R FLOOR LAMP			PAGE: 2 OF: 2

MODEL: 32269COQN PACKING DIAGRAM -SHADE -UPPER POLE & LOWER POLE -GLASS DOME -SOCKET ASSEMBLY -STYROFOAM: 12 KGS.