


# ASSEMBLY INSTRUCTIONS







## Coat Rack








### NOTE TO CUSTOMERS:

- For ease and speed of assembly we recommend that before you commence each step of the assembly that you identify all the parts required to complete that step.
- We recommend that where possible you allow sufficient space to assemble the item as close as possible to the place where it will be once assembled.
- For the protection of your furniture we recommend that the product is placed on protected surfaces during assembly to prevent any damage.
- During assembly do not over tighten, as this may damage the product.
- Please ensure you retain all the product packaging until the item completely assembled.
- Please periodically check all fittings and re-tighten as necessary.
- Please never allow any liquids to remain on your furniture as absorption can cause the wood to warp or finish to de-laminate.
- It is recommended that this item should be assembled by two adults.


# Part List

<p>A1. Quantity of 2</p>  <p>Side Frame</p>	<p>A2. Quantity of 1</p>  <p>Bottom Frame</p>	<p>A3. Quantity of 3</p>  <p>Connect Bar</p>	<p>A4. Quantity of 1</p>  <p>Upper Back Frame</p>
<p>A5. Quantity of 4</p>  <p>Hook</p>	<p>A6. Quantity of 1</p>  <p>Seat</p>		

# Hardware List


<p>B1. Quantity of 4</p>  <p>Bolt</p>	<p>B2. Quantity of 4</p>  <p>Bolt</p>	<p>B3. Quantity of 10</p>  <p>Bolt</p>	<p>B4. Quantity of 6</p>  <p>Screw</p>
 <p>Allen Wrench</p>			

## STEP 1




Assemble Side Frames A1 to Bottom Frame A2 and Connect Bars A3 using Bolts B3.  
Noted: Please do not tighten Bolts B3 until Step 3.


## STEP 2



- 1). Insert and assemble Upper Back Frame A4 to Side Frames A1 using Bolts B1.
  - 2). Attach Hooks A5 to Upper Back Frame A4 using Bolts B2.
- Noted: Please do not tighten Bolts B1 until Step 3.

## STEP 3

B4  6pcs



Assemble Seat A6 to Connect Bars A3 using Screws B4.

Noted: Place unit on the floor and check if it is stable before tightening all bolts.

Weight capacity of the seat is 250lbs.