
















ASSEMBLY INSTRUCTIONS


TWIN, FULL, QUEEN METAL BED



It is recommended that this item should be assembled by two adults.


A1		Headboard	1PC
A2		Footboard	1PC
A3		Side rail	2PCS
A4		Support slat	1PC
A5		Side slat	2PCS
A6		Middle slat	5PCS
A7		Support leg	2PCS
B1		BOLTS (1/4"*1-1/5")	6PCS
B2		BOLTS(1/4"*4/5")	8SETS
B3		BOLTS (1/4"*1/2")	14PCS
B4		Nut (1/4")	4PCS
B5		Ø30	2PCS
		ALLEN WRENCH(4MM)	
		OPEN SPANNER	
Page 2 of 5			

STEP:1






Please do not tighten bolts B2 until step 5.

STEP: 2






Please do not tighten bolts B3 until step 5.

STEP:3






STEP:4



Please do not tighten bolts B1 until step 5.

STEP: 5



Please tighten all bolts at this point.

- 1). Please use proper size mattress or mattress support to help prevent the likelihood of entrapment or fall.
- 2). For your safety, please do not jump on the bed.
- 3). The weight load on the bed should never exceed 500 LBS. Exceeding this weight limit may cause of the bed to collapse, resulting in serious personal injury or property damage.