

Medium Back Executive Office Chair

MODEL RTA-4907

ASSEMBLY INSTRUCTIONS

REV.4-HGO-8595-1224



Thank you for purchasing our product!

Do a quick inventory of all the parts and hardware listed below.




For Support, assembly questions & Replacement Parts within the 48 <u>Contiguous United States:</u>

Please email us at: support@rtaproducts.com



Replacement Parts for International Customers & **AK-HI-PR** orders: RTA Products will replace the part free of charge, while the customer is responsible for shipping costs plus any International local taxes or duties.



HARDWARE LIST				
Part #	QTY	SIZE/Description	Item	
I	12	M6x20	mm 10 20 30 40	
J	8	Hole covers		

INCLUDED TOOLS				
Allen Wrench				






RTA-4907




ASSEMBLY STEPS


STEP 1

FIRST: Attach F to C using pressure.






STEP 2 Assemble D to B with screws I, and with its tension knob facing towards the front.




STEP 4


Join the seat with the base making sure E enters into D.




ASSEMBLY STEPS



STEP 5 Assemble the backrest A to the armrests G-L and G-R with screws I.







CHAIR'S FUNCTIONS

Pull Handle UP.

Pull Handle OUT to UNLOCK; Push Handle IN to LOCK.





Turn CLOCKWISE for less tension (-); COUTERCLOCKWISE for more tension (+).

With less tension, the tilting feels easier.

WARNINGS - Not paying attention to the following warnings could result in injuries.




Do not use the chair if the frame parts are damaged, or if any of the screws are loose or missing.





Only one person at a time and refrain from sitting on the edge of the seat to prevent the chair from tipping over.



Do not stand or use the chair as ladder.

WEIGHT LIMIT DO NOT EXCEED





Do not leave babies or toddlers unattended while seated on the chair, always ensure adult supervision. Keep children from playing with the chair for their safety.

CARE AND MAINTENANCE

Clean with a soft cloth lightly damped in a solution of smooth soap and water.



Do not use solvents or abrasive materials.



Do not expose to direct sunlight or to extreme environmental conditions.



Inspect the chair throughly every 4 months and retighten the screws.



WARRANTY



LIMITED 2 YEAR WARRANTY

For details on the Warranty Policy, please visit online: www.technimobili.com