




INSTALLATION GUIDE

VESSEL SINK

OVER THE COUNTER BATHROOM SINK


IF YOU HAVE PURCHASED A **VESSEL SINK**, PLEASE MAKE SURE TO READ THESE INSTRUCTIONS CAREFULLY

1




Position sink vessel on the installation surface and confirm vessel size is correct and don't interfere with faucet
Note: See minimum countertop space required depending of the model.

2




If drain hole has not been made, mark the drain hole location on the countertop.

3



Drill drain hole on the countertop, the size of the countertop drain hole recommended is 1-3/4 inches to 2 inches.

4



When sink is ready to be installed, put sink up side down and apply a bead of silicone on the outer channel of the sink vessel, alternative use plumber's putty cord.

WARRANTY

For additional technical assistance or for any questions or concerns about your sink's warranty, please contact us.

www.stylishkb.com/warranty

www.stylishkb.com

care@stylishkb.com

+1-855-789-5352

Stylish International Inc Follow us on Instagram! Check out and let us know your comments [stylish.international.inc](https://www.instagram.com/stylish.international.inc)

Page 1/2


Products and specifications shown are subject to change without notice. Please contact our technical support at care@stylishkb.com for any further queries, replacement parts requests, etc. ©2019 Stylish® all right reserved.



INSTALLATION GUIDE


VESSEL SINK OVER THE COUNTER BATHROOM SINK

5



Position sink on countertop and align vessel drain hole with countertop hole and install pop-up drain which also works as an anchor to hold vessel in place.

6



Push down on vessel and ensure is stable and not rocking on countertop. Wipe and clean any silicone excess around the sink bottom.

CARE AND CLEANING

Clean your sink every day to prevent a buildup of soap scum, grease and dirt. Use a wet sponge with liquid dishwashing. Scrub the sink's surface using a soft non-abrasive cloth or sponge. Wipe the sink dry with a dish towel or other soft cloth to eliminate water stains. For deep clean cover the sink with paper or cloth towels and pour undiluted bleach. Be sure the area is well ventilated and let the bleach-saturated towels sit for 15 to 30 minutes. Rinse thoroughly with water and wipe dry with a dish towel or other soft cloth.




GUIDE D'INSTALLATION

ÉVIER EN PORCELAINE

ÉVIER DE SALLE DE BAIN SUR LE COMPTOIR


SI VOUS AVEZ ACHETÉ UN ÉVIER EN PORCELAINE, VEUILLEZ LIRE ATTENTIVEMENT CES INSTRUCTIONS

1




Positionnez l'évier sur la surface d'installation et vérifiez que sa taille est bonne et n'interfère pas avec le robinet (voir l'espace minimum requis sur le comptoir selon le modèle).

2




Si le trou de drainage n'a pas été fait, marquez l'emplacement du trou sur le comptoir.

3



Percez un trou de drainage sur le comptoir, la taille recommandée du trou de drainage est de 1 -3/4 pouces à 2 pouces.

4



Lorsque l'évier est prêt à être installé, placez-le à l'envers et appliquez un trait de silicone sur le canal extérieur de l'évier, ou utilisez un cordon de mastic de plombier.

GARANTIE

Pour toute assistance technique supplémentaire ou pour toute question ou préoccupation concernant la garantie de votre évier, veuillez nous contacter.

www.stylishkb.com/warranty

www.stylishkb.com


care@stylishkb.com

+1-855-789-5352

Stylish International Inc. Suivez-nous sur Instagram ! Jetez un coup d'œil et faites-nous part de vos commentaires [stylish.international.inc](https://www.instagram.com/stylish.international.inc)


Page 1/2

5



Positionnez l'évier sur le comptoir, alignez le trou de drainage avec le trou du comptoir et installez un drain escamotable qui servira également d'ancre pour maintenir l'évier en place.

6



Appuyez sur l'évier et assurez-vous qu'il est stable et qu'il ne bascule pas sur le comptoir. Essayez et nettoyez tout excès de silicone dans le fond de l'évier.

ENTRETIEN

Nettoyez votre évier tous les jours pour éviter l'accumulation de résidus de savon, de graisse et de saleté. Utilisez une éponge humide avec un liquide vaisselle. Frottez la surface de l'évier avec un chiffon doux non abrasif ou une éponge. Essuyez l'évier avec un torchon ou un chiffon doux pour enlever les taches d'eau. Pour un nettoyage en profondeur, couvrez l'évier avec des serviettes en papier ou en tissu et versez de l'eau de Javel non diluée. Assurez-vous que la pièce est bien ventilée et laissez reposer les serviettes imbibées d'eau de Javel pendant 15 à 30 minutes. Rincez abondamment à l'eau et essuyez avec un torchon ou un chiffon doux.