



ITEM NO.SCSD0823

NOTE:

This brochure contains IMPORTANT safty info. Please read and keep for future reference.

MAINTAINANCE AND WARNING

- 1.Keep furniture away from heat sources.
- 2.Do not clean furniture with harsh cleaner or polishes.Do not use detergents,solvents,abrasives,spray packs or leather cleaner. Use non-color mild soa with warm water to clean spills(Mix 1:10 soap to water).
- 3.Do not place furniture under direct sunlight, material will possibly fade over time.
- 4.Do not use on site dry cleaning machine.Children should not climb or jump on the furniture.
- 5.Do not write on furniture that is not protected by a padded barrier.
- 6.Not for commercial use, only for residential use.



EXPLOSIVE VIEW





PARTS LIST



HARDWARE LIST



TOOL LIST





HARDWARE SPARE LIST



Insert wooden dowel #2 into the corresponding hole of top panel(A),and then screw bolt #1 into the corresponding hole of top panel(A) tighten bolt #1 with screwdriver #16.





Insert side panel (C)&(D) middle vertical panel(E) into the preassemble top panel (A),and then insert cam bolt #3 into the corresponding hole of side panel (C)&(D)&middle vertical panel(E),tighten cam bolt #3 with screwdriver #16,finally stick paster #13 to it for look nice.



Carefully align and slide panel (F) into the groove along rear edge of pre-assemble step 2 and then insert wooden dowel #2 into the corresponding hole of panel(C)&(D)&(E).





Insert bottom panel (B) into preassemble step 3 make sure all hole aligned and then use bolt #4 to attach them tighten bolt #4 with allen key #17.









10/21

Use bolt #8 to attach leg (K) to the corresponding hole of part (B) as picture show tighten bolt #8 with allen key #17.



M6*50mm

M4

Use screw #5 to attach part #12 to panel (A)&(B)&(C)&(D)&(E),tighten screw #5 with screwdriver #16.





Insert shelf holder #6 into the corresponding hole of panel(C)&(D)&(E) and then attach adjustable shelf (G) to it.





Use screw #5 to attach hinge #7 to door (I)&(H),tighten screw #5 with screwdriver #16.





Insert part #11 into the corresponding position of door (I)&(H),and then use screw #5 to attach part #11 to door (H)&(I),make sure all holes aligned and tighten screw #5 with screwdriver #16.





Use screw #5 to attach preassemble hinge #7 to panel (C)&(D), tighten screw #5 with screwdriver #16.





STEP-12



Hinge adjustment method



Video for door adjustment



STEP-13

Use screw #5 to attach plastic bracket #9 to panel (A),tighten screw #5 with screwdriver #16.





STEP-14:

1. Mark the position on the wall, that corresponds to the location of bracket **#9** on the top panel (A); Drill and insert the expandable screw **#14** by hammer.

2. Assemble the bracket #9 to the wall. Align the hole in the bracket #9 with the expandable screw #14, use screw #15 to attach it, tighten screw #15 with screwdriver #16.





STEP-15

3. Let the plastic belt #10 pass through bracket #9 and pull tightly.



WARRANTY

- 1.We strive to offer high-quality products, and we also try our best to satisfy each and every customer that orders from us with product or service as needed.
- 2.We provide 30 days warranty starting from the time you receive the item.Each customer must provide a record of their order such as the order number,or item receipt for any items that are out of the warranty period you may also still receive.
- 3.Replacement parts by purchasing them with our company if they are available.

Are you having difficulty With assembly?Missing parts? Please send email with your order No to **customerservice@hulalahome.com** For return,please check the return policy with the retailer or market place you bought from.

> Appreciate your purchasing from us. Pop up your life by our furniture piece!