

# RONBOW

## INSTALLATION AND CARE GUIDE

### LED MIRROR

600924

601324

601524

602624

Model : 600924  
601324  
601524  
602624

## PRE-INSTALLATION

### Tools Required




**ALL WIRING SHOULD BE DONE BY A QUALIFIED LICENSED ELECTRICIAN.**

**WARNING:** To reduce the risk of electrical shock, shut off power before wiring the cabinet.

**CAUTION:** Requires 120V AC circuit.

**CAUTION:** The LED mirror must be wired to a GFI (ground fault interrupter) circuit breaker when used in bathrooms and all other locations required by the national electric code.



### Materials Included

- 4 anchors
- 4 wood screws

**Model :** 600924  
601324  
601524  
602624


## INSTALLATION

**Step 1:** Determine the ideal location of your new mirror. Make sure mirror has enough clearance from faucet and ceiling.

**Note:** 600924-SA can be hung vertically or horizontally.

**See Figure 1.**


**Figure 1.**



**Step 2:** Determine the location of wall cleat. Make sure to use the leveling tool to ensure the pilot holes are level. Drill 5/16" pilot holes into the wall.

**See Figure 2.**

**Figure 2.**



**Step 3:** Secure the anchors in the wall, and then fasten the screws provided into the anchor to secure the wall cleat.


**Model :** 600924  
601324  
601524  
602624

**Step 4:** Cut an opening in the wall and connect the electrical wires to the housing.

**NOTE:** Run electrical wires to the opening. An electrical box is recommended inside the opening.

**See Figure 3.**


**Figure 3.**



**Step 5:** Secure the cleat in the back of the mirror to the wall cleat. Hide all wires in the opening.

**See Figure 4.**

**Figure 4.**



**Model :** 600924  
601324  
601524  
602624

## PRODUCT CARE AND MAINTENANCE

The fine furniture finish of your new vanity, mirror or other bathroom accessories are designed to protect against normal home use. With proper care, your product will provide years of use and beauty in your home.

### General Care Tips

- Test cleaning product on small, discrete area prior to applying to entire surface.
- Wipe surfaces frequently with dry, soft, non-abrasive and lint-free towel.
- Do not allow liquids and moisture to accumulate on the surface of products.
- For warranty information, please visit our website at [www.ronbow.com](http://www.ronbow.com) or contact the Customer Service Department at (510) 713-1188.

# RONBOW

40650 Encyclopedia Circle  
Fremont, CA 94538

T 510.713.1188  
F 510.657.9388

[ronbow.com](http://ronbow.com)