

Important! Save these instructions!



WARNING



WARNING: When using electrical products, basic precautions should always be followed, including the following:



DANGER: Risk of electric shock. Connect only to a circuit protected by a Ground-Fault Circuit-Interrupter (GFCI) or Earth-Leakage Circuit-Breaker (ELCB).



WARNING: Risk of electric shock. A licensed electrician should make all electrical connections.



WARNING: Risk of electric shock. Disconnect power before servicing.



WARNING: Risk of injury or property damage. Please read all instructions thoroughly before beginning installation, including the following requirements.

NOTICE: Follow all local plumbing and electrical codes.
Install to permit access for servicing.

A green with yellow stripe lead wire is provided within the wiring compartment. To reduce the risk of electrical shock, connect this wire to the grounding terminal of your electric service or supply panel with copper wire equivalent in size to the circuit conductor supplying this equipment.

A pressure wire connector is provided on the exterior of the pump or control within this unit to permit connection of a bonding conductor between this unit and all other exposed metal in the vicinity, as needed to comply with local requirements.

Grounding is mandatory. The unit must be installed by a qualified service representative, and grounded.

Building materials and wiring should be routed away from the pump body and other heat-producing components of the unit.

Important Product Information Product Notices

WARNING: Unauthorized modification may cause unsafe operation and poor performance of the bath. Do not relocate the pump, or make other modifications to the circulating system, as this could adversely affect the performance and safe operation of your bath. Aquatica Plumbing Group Inc. shall not be liable under its warranty or otherwise for personal injury or damage caused by any such unauthorized modification.

Product Inspection

Carefully unpack the product and inspect the unit for damage. Return the unit to the carton during construction to prevent damage.

Factory-Assembled Features

Factory installed components include components like pump, blower, level sensors, in-line heater, submerged chromatherapy lights, keypad and diverter. The pump and piping are factory-assembled.

Connections and Service Access

NOTICE: For built-in and corner bathtubs provide unrestricted service access to the pump, heater and control box. Provide unrestricted service access to the pump, blower, in-line heater, adjustable feet, and control box. For built-in bathtubs you must construct an access panel to provide sufficient clearance for servicing the pump, in-line heater, and control box. The access panel must be located immediately next to the pump and in-line heater. Study the roughing-in information.

Electrical Requirements

The installation must have one (1) Class A Ground-Fault Circuit-Interrupters (GFCI's) or Earth-Leakage Circuit-Breakers (ELCB's). The GFCI/ELCB protects against line-to-ground shock hazard.

Use a 110V, 20A, 50/60 Hz dedicated service to wire the control system.

An equipment grounding terminal is provided. To reduce the risk of electrical shock, this terminal must be connected to the grounding means provided in the electrical supply panel with a conductor equivalent in size to the circuit conductors supplying this equipment.

Install this unit in accordance with the Canadian Electric code, Part I.

Your physiological response to hot water is subjective and depends on your age, health, and medical history. If you don't know your tolerance to hot water, or if you get a headache, or become dizzy or nauseous when using your hot tub, get out and cool off immediately.



WARNING

1. Children should not use spas or hot tubs without adult supervision.
2. Do not use spas or hot tubs unless all suction guards are installed to prevent body and hair entrapment.
3. People using medications and/or having any adverse medical history should consult a physician before using a spa or hot tub.
4. People with infectious diseases should not use a spa or hot tub.
5. To avoid injury, exercise care when entering or exiting the spa or hot tub.
6. Do not use drugs or alcohol before or during the use of a spa or hot tub, to avoid unconsciousness and possible drowning.
7. Pregnant or possible pregnant women should consult a physician before using a spa or hot tub.
8. Water temperature in excess of 38°C (100°F) may be injurious to your health.
9. Before entering the spa or hot tub, measure the water temperature with an accurate thermometer.
10. Do not use a spa or a hot tub immediately following strenuous exercise.
11. Prolonged immersion in a spa or hot tub may be injurious to your health.
12. Children should not enter a hot tub where the water temperature exceeds body temperature (37°C / 98.6°F).
13. Do not allow children to submerge their head under water.
14. Never operate the hot tub pump at high speed without having all suction and return lines open.
15. Always keep the hardcover installed and locked when the hot tub is not in use.
16. Test the GFCI (ground fault circuit interrupter) monthly.
17. Post emergency phone numbers for police, fire department, and ambulance at the nearest phone.
18. To reduce the risk of injury

The water in a spa should never exceed 40°C (104°F). Water temperatures between 38°C (100°F) and 40°C (104°F) are considered safe for a healthy adult. Lower water temperatures are recommended for young children and when spa use exceeds 10 minutes.

Since excessive water temperatures have a high potential for causing fetal damage during the early months of pregnancy, pregnant or possibly pregnant women should limit spa water temperatures to 38°C (100°F).

Before entering a spa, the user shall measure the water temperature since the tolerance for water temperature-regulating devices varies.

The use of alcohol, drugs, or medication before or during spa use may lead to unconsciousness, with the possibility of drowning.

Obese persons and persons with a history of heart disease, low or high blood pressure, circulatory system problems or diabetes should consult a physician before using a spa.

Persons using medication should consult a physician before using a spa since some medication may induce drowsiness while other medication may effect heart rate, blood pressure and circulation.

Your physiological response to hot water is subjective and depends on your age, health, and medical history. If you don't know your tolerance to hot water, or if you get a headache, or become dizzy or nauseous when using your hot tub, get out and cool off immediately.



CAUTION



DANGER

Risk of accidental drowning. Extreme caution must be exercised to prevent unauthorized access by children. To avoid accidents, ensure that children can't use the spa unless they are supervised at all times.

Risk of injury. The suction fittings in this spa are sized to match the specific water flow created by the pump. Should the need arise to replace the suction fittings or the pump, be sure that the flow rates are compatible. Never operate the spa if the suction fittings are broken or missing. Never replace a suction fitting with one rated less than the flow rate marked on the original suction fitting.

Risk of electric shock. Install at least 1.5m (5ft) from all metal surfaces. as an alternative, a spa or tub may be installed within 1.5m (5ft) of metal surfaces if each metal surface is permanently connected by a minimum 8 AWG (8.4 mm²) solid copper conductor to the wire connector on the terminal bus bar that is provided for this purpose.

HYPERTHERMIA

Since your hot tub can be set to reach temperatures of 40°C (104° F), users should be aware that extended submersion in water that exceeds normal body temperature can lead to hyperthermia.

The causes, symptoms and effects of hyperthermia may be described as follows:

Hyperthermia occurs when the internal temperature of the body reaches several degrees above the normal body temperature of 37°C (98.6°F). The symptoms of hyperthermia include drowsiness, lethargy, and an increase in the internal temperature of the body.

The effects of hyperthermia include:

- Unawareness of impending hazard
- Failure to perceive heat
- Failure to recognize the need to exit the hot tub
- Physical inability to exit the hot tub
- Fetal damage in pregnant woman
- Unconsciousness resulting in the danger of drowning

If you sense any of the symptoms of hyperthermia, safely exit the hot tub immediately.




WARNING

The use of alcohol, drugs or medication can significantly increase the risk of fatal hyperthermia.


Fully Pre-Installed System

No user configuration required



ENSURING SUFFICIENT AIR CAVITY BETWEEN THE BATH AND THE FLOOR


Upon installing the bathtub ensure that a sufficient cavity is left between the bath and the floor. Do NOT silicone the entire perimeter and do NOT retract the height adjustable bath feet fully. The exterior bath walls should NOT touch the floor. Silicon the bath feet and some sections of the skirt allowing for sufficient air intake and ventilation. Insufficient air cavity volume beneath the bath can lead to low performance. Confirm with your installer that proper sizing and/or venting recommendations have been followed.



Plug and Play Simplicity:

- 1 Plug the supplied NEMA plug into your wall outlet
- 2 Enjoy your Aquatica[®] Relax bathtub

MAIN BREAKER PANEL 120-240V/60Hz



IMPORTANT:

15A/120V BREAKER WITH GROUND
 FAULT CIRCUIT INTERRUPTER CLASS "A".
 (ONE 15 AMP/120 VOLT CIRCUIT.)