

UniQuarium

— the easiest way to
a successful aquarium

Fastest and easiest way to set up and maintain a fresh or salt water aquarium—just add water. No drilling or plumbing required. Ready to run.

Efficiently designed built-in 3-in-1 system combines mechanical, chemical, and biological filtrations in one high-capacity unit, for handling a high biological load.

The only self-contained aquarium in the industry with Lifetime warranty against leakage.

Improved water circulation with the adjustable water return nozzles and a high flow powerhead.

Several sizes available in Rectangular, Hex, Flat-back Hex and Pentagon/Corner, Tube, Cube configurations.

Made in the USA with high-quality domestic materials and exceptional workmanship. Superior to imported materials in durability, transparency, and non-yellowing factor.

Advance Aqua Tanks

515 West 130th Street, Los Angeles, CA 90061

www.advanceaquatanks.com

[HOW THE 3 in 1 WORKS]

The water from the aquarium flows through the slots located in the top of the rear divider panel and down through the foam filter blocks which trap particulate matter. If the optional protein skimmer is installed, it removes many surface active organic compounds that can have negative effects on the fish and invertebrates. Chemical filtration media (e.g. activated carbon, resins, etc.) can be added below the foam filter blocks which will remove additional dissolved substances that can result in discoloration of the water, odors, etc. The water then flows up and over the drip tray into the bio-balls upon which a colony of nitrifying bacteria will grow. These bacteria are critical to the success of your aquarium. They consume ammonia (excreted by the fish), and convert it to nitrite and finally, nitrate. Ammonia and nitrite are very toxic to the fish in relatively low concentrations. Nitrate, the end product of the biological process, is relatively non-toxic. After completion of the filtration cycle, the water accumulates in the last chamber where the powerhead returns it to the aquarium.

For more information, please contact your local, authorized Clear-for-Life® dealer. For warranty information, please refer to the warranty card included with your **UniQuarium**™.


1. The bio-balls operate more efficiently if they are not submerged in water. Maintain the water level in the filter at least 2 to 3 inches above the power-head at all times. Failure to maintain adequate water above the pump can result in a burnt out pump.

2. Clean the overflow skimmer, pre-filter foam blocks and pre-filter pads as needed. Pre-filter foam blocks and polyester filter pads can be rinsed with tap water. Clear-for-Life® Replacement Foam Blocks and Clear-for-Life® Filter Pads are available from your local dealer. Also, check the drip tray for clogging and, if necessary, scrub with a brush and rinse in tap water.

3. Clean the inside and outside of the UniQuarium™ as needed. It is imperative to read through the Care Tips brochure that came with your UniQuarium™. Algae growths, if present, should be wiped down frequently for easiest removal. Using anything other than specified in the Care Tips would void the warranty.

4. Periodic water changes are crucial for proper environmental conditions. It is recommended that 20-25% of the water be changed monthly. See your dealer for specific recommendations for your particular set-up.

Two prefilter chambers
(shown above)




•20g Reg	•100g Reg	
•29g Reg	•125g Reg	
•20g FBH	•20g FBH	
•30g Show	•26g FBH	
•40g Reg	•55g FBH	•100g Bow-Front
•50g Reg	•100g FBH	•125g Bow-Front
•55g Reg	•125g FBH	•100g Mezzo
•55g Tail	•125S FBH	•125g Mezzo
•60g Reg	•50g Corner	•50g Quadra
•65g Reg	•50g Bow-Front	•60g Quadra
•65g Tail	•60g Bow-Front	
•75g Reg	•75g Bow-Front	
•75g Tail	•80g Bow-Front	
•90g Tail	•90g Bow-Front	

Four prefilter chambers
(with dual Wet/Dry filters,, multiple powerheads and water returns)

•125g Show	•240g Reg	
•135g Reg	•300g Reg	
•150g Reg	•100g Corner	
•180g Reg	•125g Corner	
•200g Reg	•75g Tube	

[S E T - U P I N S T R U C T I O N S]



blocks; refer to the media manufacturers' instructions for specific recommendations. Filter pads may be placed on or under the drip tray for additional mechanical filtration.

4. Adjust the Lock-Line® flexible return nozzles to provide maximum circulation in the aquarium. Make sure that the nozzles are not pointed up as this may result in water being pumped out of the aquarium.

5. If you are installing the optional protein skimmer, place it in the 2nd mechanical chamber at this time. Follow the directions provided with the Clear-for-Life™ Venturi Protein Skimmer for proper installation and operation.

6. Plug in the powerhead and protein skimmer. The water will start circulating from the powerhead into the aquarium; overflow into the filter; go through all the filtration chambers; back to the powerhead and the cycle repeats.

7. If you are installing an aquarium heater, install it in the heater chamber now and follow the manufacturers' instructions for adjusting it to the desired temperature.

8. For lighting options, please consult your local dealer for further recommendation.

1. Place the UniQuarium™ on a flat, level surface so that it is evenly supported. Make sure none of the electrical devices are plugged at this time.

2. Fill the UniQuarium™ with water until it overflows into the filter at the back and the water level is about 2" to 3" above the powerhead.

3. Squeeze all air out of the foam filter blocks (provided) in the pre-filter. Chemical media, if desired, can be placed under the foam filter