

#### **ITEM NO.TVRB0973**

#### NOTE:


This brochure contains IMPORTANT safty info. Please read and keep for future reference.

#### **MAINTAINANCE AND WARNING**

- 1. Keep furniture away from heat sources.
- 2.Do not clean furniture with harsh cleaner or polishes.Do not use detergents,solvents,abrasives,spray packs or leather cleaner. Use non-color mild soa with warm water to clean spills(Mix 1:10 soap to water).
- 3.Do not place furniture under direct sunlight, material will possibly fade over time.
- 4.Do not use on site dry cleaning machine. Children should not climb or jump on the furniture.
- 5.Do not write on furniture that is not protected by a padded barrier.
- 6.Not for commercial use, only for residential use.




### **EXPLOSIVE VIEW**







### **PARTS LIST**




### **HARDWARE LIST**



### **TOOL LIST**




### HARDWARE SPARE LIST




#### STEP-1


Insert wooden dowel #8 into the corresponding hole of top panel (A), screw bolt #2 into the corresponding hole of top panel (A), tighten bolt #2with screwdriver #17.



#### STEP-2


Insert wooden dowel #8 into the corresponding hole of panel (E)&(F), screw bolt #2 into the corresponding hole of panel (E)&(F), tighten bolt #2 with screwdriver #17.






#### STEP-3

Insert panel (K) into the corresponding hole of panel (E)&(F), and then insert cam bolt#7 into the corresponding hole of panel (K), tighten cam bolt #7 with screwdriver #17, finally stick paster#9 to it for look nice.




#### STEP-4


Insert preassemble step 3 into the corresponding hole of top panel(A), and then insert cam bolt#7 into the hole of panel(E)&(F), tighten cam bolt #7 with screwdriver #17.



Use screw #1 to attach part #19 to panel(D)&(G),tighten it with screwdriver #17,and then insert pothook#19 into part#19, use screw#1 to attach them, tighten screw#1 with screwdriver #17.




Insert side panel (D)&(G) into the corresponding hole of top panel (A), and then insert cam bolt #7 into the corresponding hole of panel(D)&(G), tighten cam bolt #7 with screwdriver#17.




Carefully align and slide panel (I)&(H) into the groove along rear edge of pre-assemble unit at step 6,slide the panel


(I)&(H) into the bottom.




Screw shelf holder #10 into the corresponding hole of panel (D)&(E)&(F)&(G), Keep them on the same level.




Use screw #6 to attach handle #12 to the corresponding hole of door(C), tighten screw#6 with screwdriver#17.




Insert door (C)into the groove along rear edge of pre-assemble top panel (A).




Insert wooden dowel#8 into the corresponding hole of panel (D)&(E)&(F)&(G),and then use screw #1 to attach part#13 to top panel as picture show, tighten screw #1 with screwdriver #17.






#### **STEP-12**

Insert bottom panel (B) into the preassemble step 12, make sure all holes aligned, and then use bolt #5 to attach them, tighten bolt #5 with allen key #18.




#### STEP-13

Insert wooden dowel #8 into the corresponding hole of bottom panel (B), and then insert the part (M) into it, use bolt #4 to attach part(L) to bottom panel (B), make sure all holes aligned and tighten bolt #4 with allen key#18.





#### STEP-14

Use bolt #4 to attach leg(M) to part (L),make sure all holes aligned and tighten bolt #4 with allen key#18.





Use screw#1 to attach part#11 to panel(A)&(B)&(D)&(E)&(F)&(G), tighten screw#1 with screwdriver#17.







The installation mode of the laminate can be divided into horizontal and vertical.













Use screw #1 to attach plastic bracket #14 to panel (A),tighten screw #1 with screwdriver #17.







2. Assemble the bracket #14 to the wall. Align the hole in the bracket #14 with the expandable screw #15, use screw #7 to attach it, tighten screw #7 with screwdriver #17.



### STEP22:

3. Let the plastic belt #16 pass through bracket #14 and pull tightly

### WARRANTY

- 1.We strive to offer high-quality products, and we also try our best to satisfy each and every customer that orders from us with product or service as needed.
- 2.We provide 30 days warranty starting from the time you receive the item. Each customer must provide a record of their order such as the order number, or item receipt for any items that are out of the warranty period you may also still receive.
- 3.Replacement parts by purchasing them with our company if they are available.

Are you having difficulty
With assembly? Missing parts?
Please send email with your order No to
customerservice@hulalahome.com

For return, please check the return policy with the retailer or market place you bought from.

Appreciate your purchasing from us. Pop up your life by our furniture piece!