## Sloane 1 Light Pendant Brushed Nickel

43537NI (Brushed Nickel)

| Project Name | : |
|--------------|---|
| Location:    |   |
| Type:        |   |
| Qty:         |   |
| Comments:    |   |
|              |   |



| Location Rating | Dry                      |
|-----------------|--------------------------|
| Warranty        | www.kichler.com/warranty |
| Dimensions      |                          |
| Dilliensions    |                          |
| Base Backplate  | 5.00 DIA                 |
| Weight          | 4.70 LBS                 |
| Height          | 17.00"                   |
| Overall Height  | 108.00"                  |
| Width           | 10.50"                   |

| Mounting/Installation |          |  |  |
|-----------------------|----------|--|--|
| Interior/Exterior     | Interior |  |  |
| Mounting Weight       | 1.60 LBS |  |  |

| Primary Lamping        |              |
|------------------------|--------------|
| Lamp Included          | Not Included |
| Lamp Type              | A19          |
| Light Source           | Incadescent  |
| Max or Nominal Watt    | 150W         |
| # of Bulbs/LED Modules | 1            |
| Socket Type            | Medium       |
| Socket Wire            | 105          |

| Product/Ordering Information |                |  |
|------------------------------|----------------|--|
| SKU                          | 43537NI        |  |
| Finish                       | Brushed Nickel |  |
| Style                        | Transitional   |  |
| UPC                          | 783927478359   |  |
|                              |                |  |

| Specifications       |                |  |
|----------------------|----------------|--|
| Diffuser Description | Hammered Clear |  |
| Material             | GLASS          |  |

**Kichler** 7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

Notes:
1) Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

