


# **ASSEMBLY INSTRUCTIONS**



MODEL RTA - 2335


Thanks for purchasing one of our products.


Please read carefully the assembly instructions before the installation. Please save this manual for future reference.






#### RTA-2335








#### **PARTS LIST**







### **-SCREWS LIST**


PART	QTY.	ITEM	
A	8	3X15 MM	Dimm
В	20	6X25 MM	<b>⊕</b> ⇒∑
С	8	6X25 MM	
D	8	4X35 MM	(1) WWWWW
E	16	5X40 MM	<del>() mmm</del>
F	4	6X40 MM	<u> </u>
G	16	3X12 MM	<del>Danna-</del>

PART	QTY.	ITEM	
Н	8	6X12 MM	
	4		
J	8	Adhesive Foam Tape	
	1		
	1		


### HOW TO ASSEMBLE USING BOLTS AND CAM LOCKS:








Screw the bolt into the corresponding panel.



In the other panel, insert and align the cam lock. Join the panels.

3. Turn the cam lock.



If the panel already comes with the cam lock inserted, make sure is aligned:



**MISALIGNED: TURN CAM LOCK TO POINT TOWARDS** THE HOLE



**CORRECT** 




#### GENERAL ASSEMBLY TIPS AND TROUBLESHOOTING DURING ASSEMBLY:


- \*Before you start assembling, make sure you have all the parts and necessary hardware by doing a quick inventory.
- \*Follow the assembly instructions step by step, and do not skip any unless advised to do so by RTA PRODUCTS' Customer Service.
- \*On each step, and to avoid misalignments, always leave screws loose, and do not tighten them until all are in place.
- \*In wood panels, the laminate might be covering the holes.


  If there are no visible holes: Pass the tip of your finger around the area where the hole should be, and press against the surface to feel the indentation.

  If the hole looks too small for the screw of bolt: carefully perforate the laminate with the tip of a pen.



\*In wood panels, some might have inserts that look like screws. Those inserts are either nuts or cam locks. Make sure they are aligned to receive the screws or bolts.








\*Make sure to use the correct screws or bolts, and do not overtight them.
Using wrong screws or overtighting them might cause damage to the parts,
and such damage is not covered by the product's warranty.





#### ASSEMBLY STEPS:

















\*\* There are 2 options to assemble our desk, please choose it according to your preference.







■ Use screws A to assemble the Hinges (24) to the Back Panel (13). Assemble screws I to the Back Panel (13) and Middle Support Panel (14) as shown.


Please pay attention to the correct position of the parts on both panels.











•First screw bolts B to the other side of the Middle Support Panel (14) as shown, then assemble the Left & Right Top Panels (11 & 12) as explained in page 5.





























If the door does not close properly, you can adjust its position by unscrewing loose the corresponding screws on the hinges:



When the optimal position has been reached, re-tighten the screws.





## CARE AND MAINTENANCE

## English

- DO NOT EXPOSE THE SURFACES TO DIRECT SUNLIGHT OR EXTREME ENVIRONMENTAL CONDITIONS. ANY DAMAGE RESULTING FROM SUCH EXPOSURE IS NOT COVERED BY THE PRODUCT'S WARRANTY.
- THE PREFERABLE METHOD TO CLEAN THE SURFACES IS TO WIPE THEM USING A SOFT CLOTH DAMPENED WITH A SOLUTION SOAP AND WATER, THEN DRY WITH A CLEAN TOWEL.
- DO NOT SPRAY SOLVENTS OR CLEANING AGENTS DIRECTLY OVER THE SURFACES, STRUCTURAL TUBES OR METAL PARTS.
- DO NOT LEAN, SEAT OR STAND OVER THE UNIT.
- DO NOT ALLOW CHILDREN TO PLAY OVER/UNDER THE UNIT, NOR ALLOW THEM TO REACH INSIDE ANY COMPARTMENTS WITHOUT THE SUPERVISION OF AN ADULT.
- BEFORE MOVING OR TRANSPORTING THE UNIT, MAKE SURE THAT:
- ALL HEAVY OBJECTS OR THAT MIGHT FELL OFF ARE REMOVED FROM THE UNIT.
- IF THE UNIT ARE ON CASTERS (WHEELS), MAKE SURE THAT ALL ARE UNLOCKED.
- THE UNIT MUST BE HANDLED BY AT LEAST 2 PERSONS.
- WHEN LIFTING THE UNIT, USE BOTH OF YOUR HANDS, AND BEND YOUR KNEES. REMEMBER TO ALWAYS LIFT WITH YOUR LEGS, NOT YOUR BACK.
- IN CASE OF DAMAGE TO ANY PARTS, NOTIFY THE VENDOR AS SOON AS POSSIBLE.
- IN CASE OF GLASS BREAKAGE (IF THE UNIT HAS A GLASS TABLE TOP OR PARTS MADE OF GLASS) DO NOT HANDLE THE BROKEN GLASS WITH YOUR BEAR HANDS, AND CONTACT THE VENDOR IMMEDIATELY. DO NOT ALLOW CHILDREN NEAR THE BROKEN GLASS.