



# Assembly Instruction

Item No.:500602-24  
500602-30  
500602-40



## Components




## Hardware


NO.	Draw	QTY
A	Screws Ø4x14mm	48
B	Two-in-one connector	28
C	Two-in-one connector	28
D	Wood plug	4
E	Bracket (53x70x44mm)	2
F	Plastic anchor(Ø10mm)	2
G	Screws for fix on the wall	2
H	Door stopper	2
I	Bracket (19x19x35mm)	3

NO.	Draw	QTY
J	Hinges	4
K	Handle ( Screws Ø4x14mm)	2
L	Movable laminate support	4
M	Anti-collision gasket	2
N	Adjustable feet	4
O	Screwdriver	1

## Recommended tools You Will Need-Outils Requis



Power drill



Hammer



Silicone








Pencil






Screwdriver


Step 1








-  x3
-  x3
-  x1
- 




Step 2








-  x3
-  x3
-  x1
- 




Step 3








-  x7
-  x7
-  x2
-  x1
- 


Note: The D parts are used for these two holes




Step 4




-  x4
-  x4
-  x1
- 



## Step 5




Note: The D parts are used for these two holes





	x11
B	
	x11
C	
	x2
D	
	x1
O	

## Step 7





	x3
I	
	x12
A	
Tool	

## Step 6





	x2
E	
	x12
A	
Tool	

## Step 8




	x4
N	




## Step 9





You can adjust the doors by tightening or loosening the screws on the hinge. →




## Step 10




## Step 11




## Step 12




## Step 14





## Step 13



## Step 15



  
x4  
L



Notes:  
The installation position can be selected according to the required height.

