


MODEL RTA-1818C

ASSEMBLY INSTRUCTIONS

(REV.3-MF-9119-0825)



Thank you for purchasing our product!

ASSEMBLY VIDEO

Scan QR code
to view full
assembly
video



Hardware

NOTE: The only hardware you will need are screws that come pre-installed on the armrests. Do not remove them from the armrests until advised during assembly.

Tools (Included)

Allen Wrench




MAIN PARTS LIST

Sitting unit

NOTE 1: This comes pre-assembled with the following pieces:

- A** Backrest
- B** Seat
- D** Mechanism
- H** Headrest



NOTE 2: Any component of the Sitting Unit can be removed and replaced individually.

C Nylon Star base




E Lift cylinder




F Casters



x5



G-L Left armrest *



G-R Right armrest *



* Left and Right are defined by you sitting on the chair, not by looking at it.

For support with assembly questions & replacement parts please email us at: support@rtaproducts.com



Free shipping within **the 48 Contiguous United States.**



For international customers & **AK-HI-PR** orders, **the customer is responsible for shipping costs plus any International local taxes or duties.**



technimobili.com




support@rtaproducts.com


ASSEMBLY STEPS

STEP 1

FIRST:


F enters into C
by pressure

THEN:




STEP 2

(View from underneath)



STEP 3

Discard this screw and the
plastic ring on both sides.



STEP 4

FIRST: Remove screws.

THEN: Reattach screws.


PAY ATTENTION!

- Top screw: Longer (45mm)
- Bottom screw: Shorter (30mm)





CHAIR'S FUNCTIONS


ADJUST CHAIR'S HEIGHT




Pull handle UP.





Watch the video:




BACKREST RECLINING



Unlocked: The backrest reclines freely.
Locked: The backrest is locked at an angle or in upright position.




Watch the video:




CHAIR'S FUNCTIONS

RECLINING TENSION




Turn (+): Apply more tension.
Turn (-): Apply less tension.
Less tension means easier reclining.




Right side




Watch the video:



ADJUST BACKREST'S HEIGHT




Push backrest forward and then
UP/DOWN.



Behind




Watch the video:




CHAIR'S FUNCTIONS

ADJUST LUMBAR SUPPORT



Turn (+): Moves forward for more support.
Turn (-): Moves backward for less support.




Behind




Watch the video:



ADJUST HEADREST'S HEIGHT



Pull headrest forward and then
UP/DOWN.



Behind



Watch the video:



CHAIR'S FUNCTIONS


ADJUST ARMREST'S HEIGHT

Grab and move the armrest pad UP and then move the whole armrest UP/DOWN.


Watch the video:




Right side




Left side




You can also swivel the arm pads INWARDS or OUTWARDS as you prefer.





(View from above)




(View from above)




WARNINGS - Not paying attention to the following warnings could result in injuries.




Only one person at a time and refrain from sitting on the edge of the seat to prevent the chair from tipping over.



Do not stand on the chair.




Do not use the chair if the frame parts are damaged, or if any of the screws are loose or missing.



Do not leave babies or toddlers unattended while seated on the chair, always ensure adult supervision. Keep children from playing with the chair for their safety.

CARE AND MAINTENANCE


Clean with a soft cloth lightly dampened in a solution of smooth soap and water.




Do not use solvents or abrasive materials.



Do not expose to direct sunlight or to extreme environmental conditions.



Inspect the chair thoroughly every 4 months and re-tighten the screws.



LIMITED WARRANTY



For details, please visit our website:
Technimobili.com

To file a claim or request information, please email to:
warranty@rtaproducts.com

