


NICOR[®] | LED

Step Light Series

STP-PC | STP



LED step light solutions
Enhanced ambiance, safety, and efficiency.

STP | STP-PC

LED Step Light | with Photocell



Flexible step light options for indoor and outdoor

Whether you're looking for safety and security or just looking to add a touch of lighting style to your space, NICOR offers a variety of LED step light solutions for all your low-level lighting applications. The STP Series has been designed with an optional photocell built right in and paintable faceplates making it versatile for any application. Now you can save even more energy and have light only when you need it. No need to turn on a switch, this fixture does it for you. The soft 2700K color temperature provides a warm, natural light making it the perfect accent for your project. From step or pathway, indoors or outdoors, **you are sure to find the right fixture to fit your style.**

STP | STP-PC

At a glance step light comparison



STP



STP-PC

Photocell

(Automatic Operation)



Wet Location



Damp Location



Finish Options



(White, Black, Oil-rubbed Bronze)



(White, Black, Oil-rubbed Bronze)

Color Temp

2700K

2700K

Projected Life

50,000 hours

50,000 hours

Input Voltage

120V

120V

Mounting

Single Gang Box

Single Gang Box

Certifications





Small details that make a big difference

STP

Finish

Powder Coat Finish




Faceplate

Louvered Faceplate Design

STP-PC

Photocell

Integrated Dusk-to-Dawn
Sensor Turns on When Dark



Diffuser

Sealed Glass Lens Keeps
Out Water, Dust, and Debris

STP | STP-PC

Product Specs

Construction

Durable stamped aluminum construction with powder coat finish
High efficiency, fully sealed, maintenance-free LED chamber
Gasketed faceplate protects from elements

Electrical

Operating temperature rating of -10°F to 122°F (-23°C to 50°C)
Input voltage of 120V
TM-21 Projected L70(6k) life 50,000 hours
LM-79, LM-80 testing performed in accordance with IESNA standards
Optional photocell available for maximum energy savings

Finish


White with powder coat finish
Also available in Black and Oil-rubbed bronze.
Faceplate is paintable to match any design space

Installation

Mounts directly in standard single-gang junction boxes
Design allows fixture to be mounted in horizontal or vertical orientation
Wet location rated for indoor and outdoor use

Warranty

5-year limited system warranty standard



PRODUCT INFORMATION		
Product Specs	STP	STP-PC
LED Lifetime Projected:	50,000 hours	50,000 hours
Power Draw:	1W	1W
Input Voltage :	120V	120V
Trim Height:	4.5 in (114 mm)	4.5 in (114 mm)
Trim Width:	2.75 in (70 mm)	2.75 in (70 mm)

ORDERING INFORMATION			
Series	Version	Voltage (V)	Faceplate Color
STP	10	120V	WH (White)

Example: STP-10-120-WH

ORDERING INFORMATION				
Series	Version	Voltage (V)	Faceplate Color	Photocell
STP	10	120V	WH (White)	PC

Example: STP-10-120-WH-PC

Options



FACEPLATE ORDERING INFORMATION	
Part Number	Description
FPHBK	Horizontal Black
FPVBK	Vertical Black
FPHOB	Horizontal Oil-rubbed Bronze
FPVOB	Vertical Oil-rubbed Bronze
FPHWH	Horizontal White

FACEPLATE ORDERING INFORMATION (PC)	
Part Number	Description
FPHBK-PC	Horizontal Black
FPVBK-PC	Vertical Black
FPHOB-PC	Horizontal Oil-rubbed Bronze
FPVOB-PC	Vertical Oil-rubbed Bronze
FPHWH-PC	Horizontal White



NOTE: Each STP | STP-PC ships standard with one white vertical faceplate. Optional faceplates must be ordered separately.