


SIMPLIHOME[®]

Dixie / Maren / Cambri

Adjustable Swivel Bar Stool

MODEL # AXCDIXBS-BL



brooklyn + max™

Wyndenhall™
HOME DECOR



Great quality is a right.


Thank you for shopping with Simpli Home,
America's top brand for high-value furniture.



100%
Plastic Neutral
Products

It's time to register your product warranty.

It's quick and easy. And you'll be happy you did.




- ✓ Activate your 1-year warranty.
- ✓ Automatic entry to win a \$500 gift certificate.
- ✓ Earn instant rewards and save.

simpli-home.com/product-registration



Review your product and collect rewards!


Thank you for your purchase! We hope you enjoy it. We'd love your feedback. Please share a review and get instant rewards!




simpli-home.com/product-review



Share photos and get your cash back!




Send us images or share them on social and qualify for instant rewards. You may even receive store credit on your entire purchase!



simpli-home.com/share-images



For fastest customer service:



1. Open your phone's camera.
2. Point your phone's camera at the QR code to scan.
3. Click on the pop up.
4. You'll be taken to our customer service page.
5. Fill the form with your order information and issue.
6. Submit form.
7. A customer service associate will contact you.

Other ways to contact us...



Email Us

customerservice@simpli-home.com



Visit Us

Visit our site directly at
www.simpli-home.com



Call Us

1-866-518-0120
Monday to Friday
9am to 5pm EST

*If you've purchased from a retailer and you wish to return the product, please contact the retailer directly.

IMPORTANT: Please read this manual carefully before beginning assembly of this product. Keep this manual for future reference.

Safety Information

This furniture is designed for indoor use.

Identify all the parts and hardware. Do not discard of the packaging until you have checked that you have all the parts and hardware required. Hardware package may have spare parts.

WARNING: This item contains small parts which can be swallowed by children and pets. Keep children and pets away during assembly. To avoid danger of suffocation, always keep plastic bags away from children and pets.

We recommend that you assemble this unit on a carpeted floor to avoid scratches. If using power tools, set the tool to low torque to avoid damage.

May require 2 people for ease of assembly.

Care & Maintenance

Wipe regularly with clean water and a damp, clean, soft white cloth.

General cleaning can be done as needed with a mild detergent and water solution.

Always rinse with clean water and dry.

For heavy soiling, dampen a soft white cloth or soft bristle brush.

Use care as scrubbing can damage the surface.

More difficult stains can be treated, but this should be occasional, not daily cleaning.

ANY cleaning solution used must be removed with clean water and a clean white cloth. Cleaning residue left on the material can cause it to dry out and crack or affect the color.

DO NOT use any cleaners with corrosive ingredients (lye, acids or ammonia).

Part Description

A




BACK
QTY 1

B



SEAT
QTY 1

C



FOOTREST
QTY 1

D



BASE
QTY 1

E



GAS LIFT
QTY 1

F



RING
QTY 1

G



CONNECTOR
QTY 1

Hardware Description

1




ALLEN KEY SCREW
M6 x 16 mm
QTY 4

2




ALLEN KEY SCREW
M6 x 20 mm
QTY 3

3




ALLEN KEY SCREW
M6 x 20 mm
QTY 3

4




LARGE ALLEN KEY
QTY 1


5




SMALL ALLEN KEY
QTY 1

Step 1


1. Remove the cap from the Gas Lift (E).
2. Insert Gas Lift (E) and Ring (F) into the middle of the Base (D).

Step 2

1. Place the Seat (B) upside down on a flat, smooth surface
2. Attach Connector (G) to Seat (B) using Allen Key Screws (2).
3. Use Large Allen Key (4) to tighten.


Step 3

1. Attach Back (A) to Connector (G) using Allen Key Screws (3).
2. Use Small Allen Key (5) to tighten and ensure the back is straight.


Step 4

1. Place the attached Back and Seat upside down on a flat, smooth surface.
2. Attach the Footrest C to the Seat B using Allen Key Screws 1.
3. Use Large Allen Key 4 to tighten.

Step 5



1. Place the assembled seat on Gas Lift (E).
2. Note: the hole of the Footrest (C) should aim to the top of Gas Lift (E).

Step 6

- I. Press the lever under the seat to raise the seat up or move down.