


DOWELL

5008 Series

LED Mirror light with Touch switch


INSTALLATION GUIDE




**5008 LED Mirror light with
Touch switch**
INSTALLATION GUIDE

DOWELL


Mirror Drawing



5008 1831ML



5008 2431ML




5008 3031ML


**5008 LED Mirror light with
Touch switch**
INSTALLATION GUIDE

DOWELL


Mirror Drawing




5008 3631ML



5008 4831ML



5008 5431ML




5008 6031ML


**5008 LED Mirror light with
Touch switch**
INSTALLATION GUIDE

DOWELL

Component parts and fittings



LED Mirror



Paper Template x1



Gloves x 1



Wire nut x 3
(Included in pack)



Screw & Wall Anchor x 4
(Included in pack)

Suggested Tools:



Screw driver



Drill

Safety Warning

Safety:

- We suggest you spend a short time reading the instruction leaflet.
- Carefully check that you have all the parts before beginning assembly.
- Keep small parts and fittings out of children's reach and keep children well away from construction area, as the unassembled product contains small parts, which could present a choking hazard.
- We suggest you retain these instructions for future reference.
- This appliance can be used by adults ONLY.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

Caution:

- In order to avoid overheating, do not cover the mirror.
- Switch off the mains supply and remove the appropriate fuse or switch off the appropriate circuit breaker before commencing installation
- Make sure that there is no danger that the cord or extension cord is inadvertently be pulled or cause anyone to trip when in use.


**5008 LED Mirror light with
Touch switch**
INSTALLATION GUIDE

DOWELL


Assembly/User Instruction

Please read all instructions carefully. Before you proceed to install, make sure that the power supply is turned off and remains off until installation is complete.





*This mirror can be mounted horizontally or vertically.



STEP1. Place the wall template on the wall in the location selected for the mirror. Make sure the wall template is level and in the correct position. Secure the wall template to the wall then mark location of the 4 wall anchors as indicated on the template from the wall. Remove the wall template from the wall.




STEP2. Create holes on wall marks and screw the wall anchors, Secure screws into wall anchors.



STEP3. Connect to the main supply by plug, or cut the plug then connect to junction box main supply.



**5008 LED Mirror light with
Touch switch**
INSTALLATION GUIDE

DOWELL



STEP4. Hang up the Mirror on the wall

1. Finger short touch for turning ON/OFF, the defog is on when lights on.
2. Finger pressed touching for CCT color temp. tuning from 3000K to 6400K
3. This LED Mirror is dimmable with wall dimmer Lutron Diva DVCL-153P.



ON / OFF / CCT / select