
INGO – model: G913

European Collection Glass Pendant

WAC LIGHTING

Responsible Lighting®



PRODUCT DESCRIPTION

Mouth blown pendants, inspired by the idyllic natural elements of Alpine winters. German craftsmanship in sophisticated slender shades.

FEATURES

- LED or Low voltage xenon lamping * Clear Frosted (CF) shade not available in LED option
- Can be used on canopies, all Quick Connect™ systems and line voltage rail and track systems
- · All socket sets include 72" wire that may be cut in the field
- 5 year WAC Lighting product warranty
- UL & CUL Listed

CONSTRUCTION

- Low Voltage Socket Set: Machined Aluminum
- MP Canopy: Steel

- Adapters Solorail™, Duorail™: Copper
- Adapters 120V Track, Flexrail1: Polycarbonate

COMPATIBLE SYSTEMS

Canopy (MP)

LED or Low Voltage xenon lamp

Includes:

- Shade
- Quick Adjust™ Canopy (shown)
- Socket Set
- Lamp

The patent pending Quick Adjust™ Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments.

Sold as a complete unit with a single Order Number, no adapters needed.



Quick Connect™ (QP)

LED or Low Voltage xenon lamp

Includes:

- Shade
- Threaded Male Connector (shown)
- Socket Set
- Lamp



For use on 120V Track, Solorail™, and Flexrail1™ with proper Quick Connect™ adapter (sold separately).

Can also be used on any Quick Connect™ Canopy (sold separately) no adapter needed.

Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.

For Lamp Specifications and Ordering Information see next page.

WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 **Headquarters/Eastern Distribution Center**44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

INGO - model: G913

WAC LIGHTING

European Collection Glass Pendant

Responsible Lighting®

SOCKET SET and LAMP INFORMATION

Low Voltage

Lamp: 12V Xenon BP-50 (included)

Power: 50W max

- May be dimmed
- Includes collar with threaded set screw to allow for varying lamp positions inside the shade
- DO NOT rest glass on socket base Includes 12V, 50W xenon bi-pin

System	Model	Lamping	Shade Finish	Socket Finish
MP Canopy QP Quick Connect™	913	Xenon	CF Clear Frosted	BN Brushed Nickel CH Chrome DB Dark Bronze

Example: MP-913-CF/BN

Canopy models (MP) include Quick Adjust™ canopy Quick Connect™ (QP) models require additional adapter



Example: MP-913-CF/BN

SOCKET FINISHES

BN - Brushed Nickel










INGO – model: G913

WAC LIGHTING

European Collection Glass Pendant

QUICK CONNECT™ ADAPTERS (order one per fixture)



W Track




EN-LQ50AR BK BN DB* WT



*DB finish only available for EN-HQ50AR

ORDER NUMBER



Example: LM-QADP-BN


QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER



QUICK CONNECT™ CANOPIES for use with REMOTE TRANSFORMER



ORDER NUMBER



Example: QMP-60ERN-BN

FINISHES



WAC Lighting
www.waclighting.com
Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585