## WIRE CONNECTION DIAGRAM

Wires meet safety standards are recommended to connect the supply circuit.

**CAUTION:** Risk of fire




#### **CANOPY INSTALLATION INSTRUCTIONS**


Please read all instructions carefully. Before you proceed to install, make sure that the power supply is turned off and remainsoff until installation is complete.

Please not that each part has been assigned a letter.

Please proceed in an alphabetical order.




### **Light Bulb**




## USER MANUAL FOR MODEL# HG88145

Light Bulb:E12 light:E12\*9

( Rated 110-130V/60Hz, bulb 60W maximum.)





## Products list

| 1   |         |          |
|-----|---------|----------|
| NO. | Picture | Quantity |
| 1   |         | 1 PCS    |
| 2   |         | 1 PCS    |
| 3   | •       | 2 PCS    |
| 4   | В       | 1 PCS    |
| 5   |         | 1 PCS    |
| 6   |         | 3 PCS    |
| 7   |         | 60 PCS   |
| 8   |         | 1 PCS    |
|     | 1       | ,        |

# **Assembly and Installation Steps** 5:Lock together. 4:Lock together. 3:Lock together. A chain or boom can be installed 2:Lock together. 1:Lock together. 6:Lock together. 7:Cut the cable ties after the installation is complete

