




	Dimensions inches:			Dimensions mm:			Sink
	width	depth	height	width	depth	height	SKU
	16	16	30.75	406.4	406.4	781.05	BSL16
	23.5	18.5	30.75	597	469.9	781.05	BSL24
	29.25	18.5	30.75	743	469.9	781.05	BSL30
	35.5	18.5	30.75	902	469.9	781.05	BSL36
	39.25	18.5	30.75	997	469.9	781.05	BSL40
	47	18.5	30.75	1194	469.9	781.05	BSL48
	58.75	18.5	30.75	1492	469.9	781.05	BSL60S
	58.75	18.5	30.75	1492	469.9	781.05	BSL60D

NOTE: DIMENSIONS AND TECHNICAL DETAILS ARE SUBJECT TO CHANGE WITHOUT NOTICE

SINK

NOTE: DIMENSIONS AND TECHNICAL DETAILS ARE SUBJECT TO CHANGE WITHOUT NOTICE

Dimensions:	width	length	height	depth
inches	16.0"	16.0"	4.0"	3.38"
mm	406.4	406.4	101.6	85.73

Dimensions:	width	length	height	depth
inches	18.0"	10.25"	4.0"	3.38"
mm	457.2	257.18	101.6	85.73

Dimensions:	width	length	height	depth
inches	23.63"	18.5"	4.0"	4.0"
mm	600.08	469.9	101.6	101.6

Dimensions:	width	length	height	depth
inches	29.5"	18.5"	4.0"	4.0"
mm	749.3	469.9	101.6	101.6

Dimensions:	width	length	height	depth
inches	35.75"	18.5"	4.0"	4.0"
mm	908.05	469.9	101.6	101.6

Dimensions:	width	length	height	depth
inches	39.5"	18.5"	4.0"	4.0"
mm	1003.3	469.9	101.6	101.6


Dimensions:	width	length	height	depth
inches	47.25"	18.5"	4.0"	4.0"
mm	1200.15	469.9	101.6	101.6

Dimensions:	width	length	height	depth
inches	59"	18.5"	4.0"	4.0"
mm	1498.6	469.9	101.6	101.6

Dimensions:	width	length	height	depth
inches	59"	18.5"	4.0"	3.75"
mm	1498.6	469.9	101.6	95.25


Dimensions:	width	length	height	depth
inches	71.63"	18.5"	4.0"	4.0"
mm	1819.28	469.9	101.6	101.6

Dimensions:	width	length	height	depth
inches	79"	18.5"	4.0"	4.0"
mm	2006.6	469.9	101.6	101.6




. product code

Thickness: 9.53 (0.38")




. product code

Thickness: 9.53 (0.38")




. product code

Thickness: 9.53 (0.38")




. product code

Thickness: 9.53 (0.38")




. product code

Thickness: 9.53 (0.38")




. product code

Thickness: 9.53 (0.38")




. product code

Thickness: 9.53 (0.38")




. product code

Thickness: 9.53 (0.38")




. product code

Thickness: 9.53 (0.38")



. product code

Thickness: 9.53 (0.38")



. product code

Thickness: 9.53 (0.38")

INSTALLATION GUIDE


Tools Required for Assembly




Vanity Installation




1. Remove the plastic protective film.
2. Install all the Parts of the Cabinet.
3. Add a dap of silicone to the corners of the TOP of the Cabinet.
4. Gently position and align Counter top Sink onto Vanity.



Pop-Up / P-trap Installation Instructions INSTALLATION GUIDE



FOR SINKS WITHOUT OVERFLOW



OR

FOR SINKS WITH OVERFLOW

