

Small Wall Lantern

Project:

Fixture Type: Location:

Contact:

Wall mounted • Wet location listed PROGRESS LED



P6084-3130K9

LED wall lantern with etched white linen glass. Includes dark sky shield for full cut-off illumination or remove for a traditional lighting effect. 120V AC replaceable LED module, 623 lumens (source), 3000K color temperature and 90+ CRI.

Specifications:

Description:

- Black (-31) (powder coat paint)
- Aluminum Construction •
- Etched White Linen glass cylindrical diffuser .
- . LED Module is replaceable (part # 93054049)
- Etched white linen glass. .
- · Includes removable dark sky shield for full cut-off illumination.
- · Powder coated finish.
- 623 lumens 69.2 lumens/watt per module (source)
- 3000K color temperature, 90+ CRI.
- · Dimmable to 10% brightness (See Dimming Notes)
- Back plate covers a standard 4" octagonal recessed outlet box •
- Mounting strap for outlet box included •
- . 6" of wire supplied
- . ENERGY STAR[®] qualified
- · Meets California Title 24 high efficacy requirements for outdoor use only

Performance:

		Dimen
Number of Modules	1	Width: ; Depth: ; Height: H/CTR:
Input Power	9w	
Input Voltage	120 V	
Input Frequency	60 Hz	
Lumens/LPW (Source)	623/69.2 (LM-82)	
Lumens/LPW (Delivered)	130/17.1 (LM-79)	Glass Width: 4 Height:
ССТ	3000 K	
CRI	90 CRI	
Life (hours)	60,000 (L70/TM-21)	
FCC	Meets FCC Title 47, Part 15 Class B	
Min. Start Temp	-30 °C	
Max. Operating Temp	30 °C	
Warranty	5 year warranty	
Labels	cCSAus Wet location listed	
	ENERGY STAR [®] qualified	
	Meets California Title 24 high efficacy requirements	
	for outdoor use only	



Dimensions:

7" 8-5/8" t: 10-3/8" R: 3-1/8"

4-5/8" t: 5-7/8"



Small Wall Lantern

Wall mounted • Wet location listed PROGRESS LED



P6084-3130K9

Dimming Notes:

P6084 is designed to be compatible with many ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls

Lutron Nova T NTELV-300

Lutron Vierti VTELV-600

Lutron Ariadni AYCL-153P

Lutron Diva DVCL-153P

Lutron Maestro MAELV-600

Lutron spacer/system SPSELV-600

Leviton Renoir II AWRMG-EAW

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.