



VENTLESS FIREPLACES
RECESSED FIREPLACE RANGE

FLUSH-MOUNTED SOLUTIONS

IGNIS[®]
R E T H I N K F I R E

+1 855 MY IGNIS
IGNISPRODUCTS.COM

NOW YOU CAN HAVE THAT **FIREPLACE** YOU'VE ALWAYS WANTED BECAUSE WE **RETHINK FIRE™** .

NO CHIMNEY. NO VENT. NO GAS LINES. NO WOOD.
NO SMOKE. NO ASH, NO SMELL. **YES FREEDOM.**

THE IGNIS® RANGE OF VENT-FREE RECESSED
FIREPLACES HAVE BEEN DESIGNED AS A SOLUTION
FOR THOSE IN SPACES THAT A FIREPLACE WOULD
OTHERWISE BE IMPOSSIBLE. FUELED BY LIQUID
BIO ETHANOL, INSTALLATION AND OPERATION ARE
ELEMENTARY AND MAINTENANCE IS A BREEZE.



THE BRAND.

LIVING AN IGNIS® LIFESTYLE



A producer of eco-sensitive and vent-free fireplace solutions, IGNIS®, based in New Jersey, USA, has developed, patented and brought to market fire producing products that are alternatively fueled since 2011. The brand's offering is one of prestige yet priced for availability to the mass market. With a select yet diverse offering, IGNIS® addresses consumer needs with a range of products that considers myriad functions, environments, applications and styles to best curate a fireside experience for individual aspirations.



WHAT IS IGNIS®

Ignis is pronounced /'ig.nis/. It is the Latin word for fire. But for us, it means much more. For us, it is the contemplation of fire. The disruption of how it is produced, presented and incorporated into a modern lifestyle; The discipline of the flames so that their inherent beauty is enjoyed but inherent risk controlled. The creation of luxurious fireside moments. Our IGNIS® is more than just fire.

EST'D 2011

IN NY

+ 7,000
CLIENTS AGO

THE RANGE.

GOOD DESIGN IS AS LITTLE DESIGN AS POSSIBLE. THIS IS THE KEYNOTE TO **ELEGANCE.**

A DESIGN LANGUAGE THAT EMBRACES MODERNITY AND MINIMALISM, THE IGNIS® RANGE OF RECESSED FIREPLACES BRING FORTH PURE ELEMENTARY LINES. IN EACH MODEL, THE CLEAN VIBRANT FLAMES ARE GREATLY CONTRASTED BY THE BLACK POWDER COATED FIREBOX. A NON-EXAGGERATED GLASS PANE SERVES AS PROTECTOR FOR BOTH THOSE AROUND AND THE FIREPLACE'S EFFICIENCY.

THIS RANGE INCORPORATES ALL FEATURES SYNONOMOUS WITH THE IGNIS® BRAND: VENT-FREE, SAFE, ELEGANT AND PRACTICAL. THEY ARE PIECES DESIGNED FOR CALMING WARMTH, SOOTHING LIGHT AND FOR THEIR DYNAMIC AESTHETIC VALUE. ALL OF THIS MADE AVAILABLE AT A COST THAT PALES IN COMPARISON WITH TRADITIONAL MODES OF FIRE DISPLAY.



EASY ELEGANCE.



FUEL

Using a funnel, pour the IGNIS® bio ethanol fireplace fuel, that is bottled in convenient quart-sized bottles, into the burner openings. Once each is filled to the “max” line, you’re ready to start your fireplace experience.



IGNITE


Wave the ignition source, whether it be a long fireplace lighter or match, over the burner opening. The vapors will ignite. Repeat the step for each burner insert in the fireplace. In about 10-15 minutes, you will be enjoying the fire in full effect.



ENJOY

All that’s left is sit down, relax and enjoy the IGNIS® experience of warmth, dim light and aesthetic prowess. Once you’re regenerated, simply close each burner lid with the included tool. There are no embers or smoldering to worry about.

THE
HOT MODELS



QUADRA



THE ROMANCE

Minimal in size, yet generous in quality and character, the Ignis® Quadra Recessed Bioethanol Fireplace speaks to stateliness without being boastful. Ideal for countless spaces, this square-shaped ventless wall fireplace was fashioned for those in apartments, condos and other intimate spaces.

THE PERFORMANCE

Fuel Capacity: 1.5 Liters

Approximate Burn Time: 5-9 Hours*

Approximate Warmth: 6,000 BTU


Flame Length: 7 1/8"

Minimum Space Required: 1,200 Ft³

**Fireplace burn time is relative to the environment in which it is installed, brand of fuel used and position of sliding lid.*

THE IGNIS®
QUADRA.
CHARMINGLY
SIMPLE. CHICLY
CONVENIENT.

ignisproducts.com



BELLEZZA *mini*

THE ROMANCE

The junior to the Ignis® Bellezza model, the Bellezza Mini Recessed Ethanol Fireplace has been developed to answer the call of fireplace design in smaller spaces. A favorite of condominium dwellers and those in metropolitan apartments, this Ignis® Fireplace has become a brand legacy.

THE PERFORMANCE


Fuel Capacity: 1.5 Liters
Approximate Burn Time: 5-9 Hours*
Approximate Warmth: 6,000 BTU
Flame Length: 7 1/8"
Minimum Space Required: 1,200 Ft³

**Fireplace burn time is relative to the environment in which it is installed, brand of fuel used and position of sliding lid.*

THE IGNIS®
BELLEZZA
MINI. **SMALL**
IN STATURE.
**SIGNIFICANT IN
STYLE.**

ignisproducts.com





LATA



THE ROMANCE

The perfect synthesis of superior metalworking and ventless fireplace technology is revealed in the Ignis® Lata. Its frame is composed of grade 304 brushed stainless steel. Nestled behind the silver border, a black steel firebox offers the perfect background in front of which Lata's clean burning ethanol flames dance.

THE PERFORMANCE

Fuel Capacity: 3 Liters

Approximate Burn Time: 5-9 Hours*

Approximate Warmth: 12,000 BTU


Flame Length: 14 1/4" Segmented

Minimum Space Required: 2,4000 Ft³

**Fireplace burn time is relative to the environment in which it is installed, brand of fuel used and position of sliding lid.*

THE IGNIS®
LATA. A
SIGNATURE FOR
THOSE WITH
NOTEWORTHY
STYLE.

ignisproducts.com



BELLEZZA

THE ROMANCE

With the striking detail of a black trim, the Ignis® Bellezza Built-In Ethanol Fireplace offers a design template from which to create an awe-inspiring centerpiece that is certain to invigorate a wealth of spaces. Chosen by remodelers and specified by trade pros in new constructions, Bellezza employs a choice-grade, brushed stainless steel frame.



THE PERFORMANCE

Fuel Capacity: 3 Liters

Approximate Burn Time: 5-9 Hours*

Approximate Warmth: 12,000 BTU


Flame Length: 14 1/4" Segmented

Minimum Space Required: 2,4000 Ft³

**Fireplace burn time is relative to the environment in which it is installed, brand of fuel used and position of sliding lid.*

THE IGNIS®
BELLEZZA.
A TIMELESS
EXAMPLE OF
JUXTAPosition
IN **DESIGN.**

ignisproducts.com



villa



THE ROMANCE

The juxtaposition of color, texture and material makes the Ignis® Villa Recessed Ethanol Fireplace one of the most sought-after ventless fireplaces by do-it-yourselfers and professionals alike for myriad projects. Those with a penchant for flair will find that Villa's black tempered glass face with a divergent brushed stainless-steel inner frame is worth pondering.

THE PERFORMANCE

Fuel Capacity: 3 Liters

Approximate Burn Time: 5-9 Hours*


Approximate Warmth: 12,000 BTU

Flame Length: 14 1/4" Segmented

Minimum Space Required: 2,4000 Ft³

**Fireplace burn time is relative to the environment in which it is installed, brand of fuel used and position of sliding lid.*

THE IGNIS®
VILLA.
HANDSOME IS
AS HANDSOME
DOES.



Ardella

THE ROMANCE

With a classic, contemporary design that enhances any environment, the Ignis® Ardella recessed ventless fireplace is ideal for those rehabilitating a space or starting anew. Boasting a frame manufactured of high-grade 304 stainless-steel, this ethanol fireplace has been constructed to withstand the test of time and heat.

THE PERFORMANCE

Fuel Capacity: 4.5 Liters

Approximate Burn Time: 5-9 Hours*

Approximate Warmth: 18,000 BTU

Flame Length: 23 1/8" Segmented


Minimum Space Required: 3,6000 Ft³

**Fireplace burn time is relative to the environment in which it is installed, brand of fuel used and position of sliding lid.*

THE IGNIS®
ARDELLA.
EXQUISITE -
JUST LIKE YOU.

ignisproducts.com





OPTIMUM

THE ROMANCE

Uniting elegance with simplicity, the Ignis® Optimum Recessed Ventless Fireplace prioritizes its natural, warming flames through minimalist design. Making use of a one-piece brushed stainless steel frame, this ventless fireplace poses as the cornerstone for any new construction or remodeling project. Once installed, the sharp stainless frame sits flush to the wall against the background of your choosing



THE PERFORMANCE

Fuel Capacity: 4.5 Liters

Approximate Burn Time: 5-9 Hours*


Approximate Warmth: 18,000 BTU

Flame Length: 23 1/8" Segmented

Minimum Space Required: 3,6000 Ft³

**Fireplace burn time is relative to the environment in which it is installed, brand of fuel used and position of sliding lid.*

THE IGNIS®
OPTIMUM. SIMPLY
THE **ULTIMATE**
FORM OF
SOPHISTICATION.



Accalia

THE ROMANCE

Boasting a sleek, understated design, the Ignis® Accalia Recessed Ethanol Fireplace is quiet yet executed with great consequence down to the last detail. Perfect for both do-it-yourself projects or professional fireplace designs, Accalia lends a magnificent combination of style and comfort to any well-appointed space. Inviting with a temperature-altering 24,000 BTU that warms not only the room, but the onlooker's heart and eyes through the contrasting black and orange.

THE PERFORMANCE

Fuel Capacity: 6 Liters

Approximate Burn Time: 5-9 Hours*

Approximate Warmth: 24,000 BTU

Flame Length: 28 1/2" Segmented

Minimum Space Required: 4,8000 Ft³

**Fireplace burn time is relative to the environment in which it is installed, brand of fuel used and position of sliding lid.*

THE IGNIS® ACCALIA.
A **SUPERLATIVE**
REFASHIONING OF
THE TRADITIONAL
FIREPLACE
CONCEPT.



IGNIS®
Bio Ethanol
Fireplace Fuel

IGNIS®

BIO-ETHANOL
FIREPLACE FUEL

ONLY FOR
Indoor or Outdoor
Ventless Fireplaces



DANGER / CAUTION
CONTENTS EXTREMELY
ECO-FRIENDLY



IGNIS®

BIO-ETHANOL
FIREPLACE FUEL

ONLY FOR
Indoor or Outdoor
Ventless Fireplaces



DANGER / CAUTION

THE FUEL.

IGNIS® Fuel is the safest bio ethanol fireplace fuel available. When considering the purchase of an ethanol burning fireplace grate, it is of the utmost importance to keep the safe use of your fireplace in the forefront of your mind. In striving to make using this technology safer, specialists recommend the use of IGNIS® Fuel for the following reasons:

1. Safety-Pour Technology. This patent-pending safety system is included on all IGNIS® bottles. A device that is found just under the cap, this safety-pour technology prevents sparks from entering the bottle during the fill / refill process. Safety-Pour is the first technology of its kind that reduces the risk of flash or explosion and allows for the safest use of your ethanol burning fireplace or fireplace insert.

2. Child-Proof Cap. All IGNIS® bottles are equipped with double protection to ensure the safe storage around children. The cap must be depressed, then twisted to open. Once opened, a silver foil seal must then be removed to access the liquid fuel.

3. BITR. This agent is added to all IGNIS® Fuel to prevent the accidental ingestion of the liquid by children or pets. By adding BITR, a bittering agent, a third level of defense is built into the fuel to prevent the harm of little ones.

4. PET Bottle. Renewable through-and-through, IGNIS® Fuel is packaged in a PET (Polyethylene Terephthalate) bottle, a container made of safe, recyclable material. This type of packaging is lightweight, yet strong and is a food-safe material boasting shatter-proof qualities.

5. Responsible. IGNIS® Ethanol Fireplace Fuel is made from reclaimed and recycled waste products that contain alcohol. Unlike other ethanol producers, we recognize the need to preserve food products, normally used to produce ethanol, to feed those that are hungry.

6. Clean. When IGNIS® Fuel is burned, it emits no smoke, no soot, no odor nor other toxic emissions. After it's burned, your reservoir is void of residue. IGNIS® Fuel is safe for indoor use, as it only produces heat, steam (water vapor) and small amounts of carbon dioxide (CO2).

7. Value. IGNIS® Fuel, made in the USA, has been tested in our products and developed for the cleanest and longest burn times possible.

***Bio Ethanol Fireplace Fuel should NEVER be introduced into an active flame. Please be sure to wait approximately 15 - 20 minutes (or until cool) before refilling your fireplace.**

THE IGNIS® LIFESTYLE. ENJOY
THE WAY RETHINK FIRE™.

ADDRESS

IGNIS DEVELOPMENT, INC.
409 JOYCE KILMER AVENUE
SUITE 5B
NEW BRUNSWICK, NJ 08901
UNITED STATES OF AMERICA

CONTACT

Phone
+ 1 855 MY IGNIS

Email
info@lproducts.com

ignisproducts.com

