Thank you for purchasing this quality product. Be sure to check all packing material carefully for small part that may have come loose inside the carton during shipment.



WF294418AAA-WF294419AAA

PAGE 1 OF 5

MADE IN MALAYSIA

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small part that may have come loose inside the carton during shipment.



PART LIST:				TOOLS REQUIRED (Not provided)			
No.	Description	Sketch	Quanlity	Screwdriver			
A	Headboard		1 PC	Screwdriver			
В	Footboard		1 PC	HARDWARE LIST: No. Description Sketch Quanlity			
С	Leg	Ċ,	2 PCS	1	CSK M4 x 16mm	anna	8 PCS
D	Side Rail 'D'		2 PCS	2	CSK M4 x 32mm	f) mum	8 PCS
				3	JCBC M6 x 30mm		8 PCS
E	Side Rail 'E'		2 PCS	4	JCBC M6 x 35mm		12 PCS
F	Side Rail Support		4 PCS	5	JCBC M6 x 50mm		12 PCS
G	Leg Pillar L/R		2 PCS	6	JCBB M8 x 30mm		8 PCS
				7	Flat Washer M6	0	28 PCS
Н	Slat		2 SETS	8	Spring Washer M6	Ø	28 PCS
I	Bed Center Rail		2 PCS	9	Allen Key M4		1 PC
J	Slat Support Leg		4 PCS	10	Allen Key M5		1 PC
				11	Plastic Washer Leg		2 PCS
K	Support Side Rail		2 PCS	12	Adjuster Leg		4 PCS

PAGE 2 OF 5

MADE IN MALAYSIA

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small part that may have come loose inside the carton during shipment.

Step 1. Attach the Leg (C) with the Footboard (B) by using the Plastic Washer Leg (11).



PAGE 3 OF 5

MADE IN MALAYSIA

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small part that may have come loose inside the carton during shipment.





Step 4. Please use the Bolts (6) to put on Leg Pillar (G) and Footboard (B) by using hand without tighten it. Next, hook the metal bracket on side rail (D/E) on the Bolts (6) and tighten them with Allen Key (10).



Thank you for purchasing this quality product. Be sure to check all packing material carefully for small part that may have come loose inside the carton during shipment.

Step 5. Attach the Slat Support Leg (J) with Bed Center Rail (I) first and use screw (1) to tighten them. Put Adjuster Leg (12) on bottom of slat support leg (J). Note: The adjuster leg (12) can be adjusted if the floor not flat.





Step 6. Put the Slat (H) on the Side rail (D/E) of the bed to be neat, then tighten them by using Screws (2). Next, attach Bed Center Rail (I) with Slat (H) by using the Bolt (5) and Allen Key (9).

