








ASSEMBLY INSTRUCTION

ITEM:5760-90851-5/0 Upholstered Headboard

ITEM:5760-90252-5/0-Panel Footboard

ITEM:5760-90253-5/0-6/6 Rails


Thank you for purchasing this quality product. Be sure to unpack carefully looking for small parts which may have come loose during shipment.
Read all instruction and study the drawing carefully before starting the assembly process.

HARDWARE LIST					PARTS LIST			
NO.	DRAWING	DESCRIPTION	SIZE	Q'TY	NO.	DRAWING	DESCRIPTION	Q'TY
F1		Screw	#8*30mm	10PCS	H-D		Upholstered Headboard	1PC
					R-A		Rails	2PCS
					F-A		Footboard Panel	1PC
					F-B		Slats	5PCS
					F-C		Long support leg	5PCS
					F-D		Short support leg	5PCS

STEP3. Attach Rails (R-A) to the Headboard Panel +legs (H-D) using Threaded rod(R1),Curved washer(R2),Nut (R3) and tighten them by Open wrench (R4)

STEP4. Attach Short support legs (F-D) to Slats(F-B)

STEP5. Attach the Slats (F-B) to the Rails (R-A) using Screw (F1) by the Phillips head screwdriver



ASSEMBLY INSTRUCTION

ITEM:5760-90851-5/0 Upholstered Headboard

ITEM:5760-90252-5/0-Panel Footboard

ITEM:5760-90253-5/0-6/6 Rails

Thank you for purchasing this quality product. Be sure to unpack carefully looking for small parts which may have come loose during shipment.


Read all instruction and study the drawing carefully before starting the assembly process.

STEP6. Use a Phillips head Screwdriver to take rail supports out of rails(R-A)

STEP7. Place the rails supports at higher position, then attach them to the rails(R-A) again Screwdriver

STEP8. Attach long support legs (F-C) and Short support leg (F-D) to Slats (F-B) then adjust leveler if need it.

STEP9. Attach the Slats (F-B) to the Rails (R-A) using Screw (F1) by the Phillips head screwdriver.



ASSEMBLY INSTRUCTION








ITEM:5760-90251-5/0-Panel Headboard

ITEM:5760-90252-5/0-Panel Footboard

ITEM:5760-90253-5/0-6/6 Rails

Thank you for purchasing this quality product. Be sure to unpack carefully looking for small parts which may have come loose during shipment.


Read all instruction and study the drawing carefully before starting the assembly process.

HARDWARE LIST					PARTS LIST			
NO.	DRAWING	DESCRIPTION	SIZE	Q'TY	NO.	DRAWING	DESCRIPTION	Q'TY
F1		Screw	#8*30mm	10PCS	H-D		Headboard Panel+Legs	1PC
					R-A		Rails	2PCS
					F-A		Footboard Panel	1PC
					F-B		Slats	5PCS
					F-C		Long support leg	5PCS
					F-D		Short support leg	5PCS

STEP3. Attach Rails (R-A) to the Headboard Panel +legs (H-D) using Threaded rod(R1),Curved washer(R2),Nut (R3) and tighten them by Open wrench (R4)

STEP4. Attach Short support legs (F-D) to Slats(F-B)

STEP5. Attach the Slats (F-B) to the Rails (R-A) using Screw (F1) by the Phillips head screwdriver



ASSEMBLY INSTRUCTION

ITEM:5760-90251-5/0-Panel Headboard

ITEM:5760-90252-5/0-Panel Footboard

ITEM:5760-90253-5/0-6/6 Rails

Thank you for purchasing this quality product. Be sure to unpack carefully looking for small parts which may have come loose during shipment.

Read all instruction and study the drawing carefully before starting the assembly process.

STEP6. Use a Phillips head Screwdriver to take rail supports out of rails(R-A)

STEP7. Place the rails supports at higher position, then attach them to the rails(R-A) again Screwdriver

STEP8. Attach long support legs (F-C) and Short support leg (F-D) to Slats (F-B) then adjust leveler if need it.

STEP9. Attach the Slats (F-B) to the Rails (R-A) using Screw (F1) by the Phillips head screwdriver.

