


# CONVENIENCE CONCEPTS

## CARLY DESK GRAY/WHITE

111107GY 111107W



### ASSEMBLY INSTRUCTIONS

---

We have designed our furniture with you , the customer in mind . Our clear , easy to follow , step by step instructions will guide you through the project from start to finish . Feel confident that this will be a fun and rewarding project . The final product will be a quality piece of furniture that will go together smoothly and give years of enjoyment .

---











Please do not return to the store

Broken or missing parts?


Need help with assembly?

If you have any questions just call 1-800-468-6447 or email us at [parts@convenience-concepts.com](mailto:parts@convenience-concepts.com)


## Hardware List

<b>A</b> 	<b>B</b> 	<b>C</b> 	<b>D</b> 
Blot ( 28pcs )	Plastic foot (4pcs)	Screw ( 1pcs )	Allen wrench ( 1pc)
<b>E</b> 	<b>F</b> 	<b>G</b> 	<b>H</b> 
Plastic anchor (1pc)	Mounting screw (1pc)	Washer (2pc)	Safety wall strap (1pc)

## Panel List



## Exploded Views






## Step 1

\* Place big panel ② upside down on carpet or other soft surface . \*


1. Connect side frames ④ to big panel ② using bolts (A) and allen wrench (D) .

2. Attach plastic feet (B) to side frames ④ .




## Step 2

1. Connect back support ⑤ to assembly as shown using bolts (A) and allen wrench (D) .




## Step 3

1. Connect top supports ③ to small panel ① using bolts (A) and allen wrench (D) .



## Step 4

1. Connect small panel assembly to unit as shown using bolts (A) and allen wrench (D) .



## Step 5

1. Connect the safety wall strap (H) to unit using wood screw (C) and washer (G).
2. Drill hole slightly smaller than plastic anchor (E) into drywall and gently tap plastic anchor into hole.
3. Connect safety wall strap (H) to plastic anchor (E) as shown using mounting screw (F) and washer (G).

