

# One-Light LED Pendant

 Ceiling Stem Hung mounted • Damp location listed **PROGRESS LED**


## Description:

Distinctive Classic globe pendants are accented by striking metal caps over an etched glass shade. This pendant is ideal for Modern, Mid-Century or Farmhouse interior design styles. These versatile pendants can be displayed singularly or in groupings of two or more by mixing and matching finish options and lengths to create custom lighting designs for the home.

## Specifications:

- Brushed Nickel (-009) (plated)
- Steel construction
- Opal Glass Globe
- LED Module is replaceable (part # 93074037)
- One-light 9-watt Globe LED cord-hung pendant ideal for kitchens, breakfast rooms and dining rooms
- Complete glass globe design accented by a striking metal cap
- Brushed Nickel with clear cord
- Measures 8" diameter x 9 3/4" H
- Overall length with stem is 122"
- 439 lumens, 47.2 lumens per watt (delivered)
- Warm white 3000K lighting color and 90+CRI
- Ideal for classic Mid-Century interiors or Farmhouse design styles
- These versatile pendants can be displayed singularly or in groupings of two or more
- Damp location listed
- Dimmable to 10% brightness (See Dimming Notes)
- Canopy covers a standard 4" octagonal recessed outlet box
- Mounting strap for outlet box included
- 10 feet of wire supplied
- ENERGY STAR® qualified
- Meets California Title 24 JA8-2016

## Performance:

|                        |   |
|------------------------|---|
| Number of Modules      | 1   |
| Input Power            | 9w  |
| Input Voltage          | 120 V   |
| Input Frequency        | 60 Hz   |
| Lumens/LPW (Source)    | 624/66 (LM-82)  |
| Lumens/LPW (Delivered) | 439/47.2 (LM-79)  |
| CCT                    | 3000 K  |
| CRI                    | 90 CRI  |
| Life (hours)           | 60,000 (L70/TM-21)  |
| FCC                    | Meets FCC Title 47, Part 15 Class B   |
| Min. Start Temp        | -30 °C  |
| Warranty               | 5 year limited warranty   |
| Labels                 | cCSAus Damp location listed<br>ENERGY STAR® qualified<br>Meets California Title 24 JA8-2016 |

## P500147-009-30

## Images:



## Dimensions:

Diameter: 8"  
Height: 9-3/4"  
Overall Ht. W/Stem: 122"

Glass  
Width: 7-7/8"  
Length: 7-7/8"  
Height: 7-3/8"

**P500147-009-30****Dimming Notes:**

---

P500147 is designed to be compatible with many Triac/Forward Phase or ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

**Dimming Controls**

---

Lutron Diva DVELV-300P

Lutron Nova T NTELV-300

Lutron Caseta

Lutron Ariadni AY-600P

Leviton Illumatech IPI06-1LZ

Leviton SureSlide 6672

Lutron Ariadni AYCL-153P

Lutron Skylark Contour CTCL-153P

Lutron Diva DVCL-153P

Lutron Toggler TGCL-153P

Lutron Maestro MACL-153M

Lutron Ariadni AYL-600P

Lutron NOVA T NTLV-600

lutron Maestro MAELV-600

Lutron spacer/system SPSELV-600

Lutron Renoir II AWRMG-EAW

Lutron Nova N-600

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation.

Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.