


ECLISSE

®

ECLISSE BIAS™ DS







single door



ECLISSE BIAS™ DS

Built In Anti Slam


DOUBLE SIDE




TOOLS REQUIRED
EQUIPAMENTOS NECESSÁRIOS PARA A MONTAGEM






PH 2



Ø 3




CH. 2.5




COMPONENTS / COMPONENTES


Ⓐ 1 x




Ⓑ 1 x




Ⓓ 1 x





Ⓒ 1 x



Ⓔ 2 x





GB



WARNING: All sliding doors, if unprofessionally and recklessly handled, can be dangerous also depending on the size and characteristics of the panel and of the material of which is made. For safety reasons, our counterframes are equipped with adjustable door catch. In order to avoid the risk of Injury It is absolutely necessary to Install It, taking care to stop the door, so that the handle stays completely on sight and the hand, while holding and using the handle, and based on the sizes and characteristics of the latter, can never come into contact with the edge of the counterframe or with projecting and/or reentering accessories, decorations or other characteristics of the door panel.

In the event of non-observance of these warnings, which must be communicated by the installer and/or vendor to the end user, Eclipse Srl disclaims all liability for any injuries.


ES

ATENCIÓN: El uso Imprudente o Inadecuado de las puertas correderas puede representar peligro en función de las dimensiones y características del panel así como del material del que se compone. Por razones de seguridad, nuestros contramarcos cuentan con un tope final de carrera ajustable. Para evitar cualquier riesgo de lesiones, es totalmente necesario que tras la instalación la hoja llegue al tope dejando el tirador totalmente a la vista y que la mano, en el momento de empujar y utilizar el tirador y en función de las dimensiones y características de éste, no pueda entrar en contacto en ningún caso con el borde del contramarco ni con los accesorios, decoraciones u otros elementos, salientes y/o entrantes, del panel puerta. En caso de violación de dichas advertencias, el usuario final deberá ser informado por el Instalador y/o el proveedor, quedando Eclipse srl exenta de toda responsabilidad derivada de eventuales lesiones.




1





2




3






4








6




$$K = P + 16-5/16" - W$$




7







8




9





$$M = P + 5-1/8''$$





10



11



12





**Eclisse US: 1-800-614-1474 info@euro-arch.com
www.eclisse.us**
