measuring instructions:

Crossheads

Whether you're working with indoor or outdoor applications, crossheads are an excellent design improvement to the outer casings of doorways and widows. Often used in tandem with other architectural trim items like pilasters, crossheads provide outstanding visual improvement without spending a lot of money. Crossheads are used by Contractors, Home Owners, and Home Improvement specialists to add strength, character and impressive artistic design features to both the exterior and interior of your home.

TOOL CHECKLIST

- □ Measuring Tape
- □ Step Ladder
- D Pencil or Marking Tool
- □ Step Ladder

THINGS TO REMEMBER

- You will need to measure the outside of your window, door, or installation area from trim to trim.
 While measuring you will need to remember that the top of the crosshead is wider than the
- that the top of the crosshead is wider than the bottom. You can either match the trim of your window,
- door, or installation area to the bottom of the crosshead or from the wider piece at the top.

DIMENSIONS

BW: Bottom Width- how wide the bottom of the crosshead is from one side to the other **TW**: Top Width- how wide the top of the crosshead is from one side to the other

 $\ensuremath{\textbf{H}}\xspace$ Height- how tall the crosshead is from top to bottom

P: Projection- how thick the breastplate of the crosshead is

TP: Top Projection- how thick the top of the crosshead is

EXAMPLE MEASURING DIAGRAMS

