


Front View



Back View



Side View

FEATURES

- 5mm Copper free mirror.
- Mounting type: Vertically.
- Energy Efficient and Long Lasting LED Lighting.
- 1 Year Limited Warranty on Electronic Components.

LIGHTING:


- LED (Light-Emitting Diode).
- Defogger & Dimmable.
- Color Temperature: 6000K.
- Power Source: Input: 110volts, 50/60HZ.
- IP44 rated.
- Brightness Lumen: 5500LM; CRI>80
- Power Consumption : 60Watts ;
- Energy saving LED lifetime approx 50,000 hours.
- UL certificated for electric power supply, defogger and LED strips.

Available Standard size:


- 24" x 40"
- 30" x 40"
- 36" x 40"
- 48" x 40"

Certification:





Front View



Back View



Side View

FEATURES

- 5mm Copper free mirror.
- Mounting type: Vertically.
- Energy Efficient and Long Lasting LED Lighting.
- 1 Year Limited Warranty on Electronic Components.

LIGHTING:


- LED (Light-Emitting Diode).
- Defogger & Dimmable.
- Color Temperature: 6000K.
- Power Source: Input: 110volts, 50/60HZ.
- IP44 rated.
- Brightness Lumen: 6100LM; CRI>80
- Power Consumption : 90Watts ;
- Energy saving LED lifetime approx 50,000 hours.
- UL certificated for electric power supply, defogger and LED strips.

Available Standard size:


- 24" x 40"
- 30" x 40"
- 36" x 40"
- 48" x 40"

Certification:





Front View



Back View



Side View

FEATURES

- 5mm Copper free mirror.
- Mounting type: Vertically.
- Energy Efficient and Long Lasting LED Lighting.
- 1 Year Limited Warranty on Electronic Components.

LIGHTING:


- LED (Light-Emitting Diode).
- Defogger & Dimmable.
- Color Temperature: 6000K.
- Power Source: Input: 110volts, 50/60HZ.
- IP44 rated.
- Brightness Lumen: 6700LM; CRI>80
- Power Consumption : 90Watts ;
- Energy saving LED lifetime approx 50,000 hours.
- UL certificated for electric power supply, defogger and LED strips.

Available Standard size:


- 24" x 40"
- 30" x 40"
- 36" x 40"
- 48" x 40"

Certification:





Front View



Back View



Side View

FEATURES

- 5mm Copper free mirror.
- Mounting type: Vertically.
- Energy Efficient and Long Lasting LED Lighting.
- 1 Year Limited Warranty on Electronic Components.

LIGHTING:

- LED (Light-Emitting Diode).
- Defogger & Dimmable.
- Color Temperature: 6000K.
- Power Source: Input: 110volts, 50/60HZ.
- IP44 rated.
- Brightness Lumen: 7900LM; CRI>80
- Power Consumption : 90Watts ;
- Energy saving LED lifetime approx 50,000 hours.
- UL certificated for electric power supply, defogger and LED strips.

Available Standard size:

- 24" x 40"
- 30" x 40"
- 36" x 40"
- 48" x 40"

Certification:

