

# CIVIK

## THE PAINTED STEEL STAIRCASE

The CIVIK interior spiral staircase model is available in 3 diameters - 3 ft. 11 1/4", 4 ft. 7 1/8", and 5 ft. 3".

It is available in 3 colors - black, white, and grey-powder coat finish painted-ready to install – clockwise as well as counter-clockwise.

The treads are made of solid steel, with black durable non-slip PVC tread covers.

The handrails are made with a flexible metal core with a black covered grip.

The standard CIVIK staircase kit is adjustable in height from a range of 8 ft. 3 1/4" to 10 ft. 1/8" and with additional components, can be extended to a maximum height of 12 ft. 4" or to a minimum of 6 ft. 10 5/8". The standard kit with 12 treads and the landing installs with a 360° turn. By adding or subtracting treads the rotation will change by approx. 30° per tread.

Additional riser kits can be purchased separately.

Can be used in square, round or mezzanine applications. To allow for proper installation and full clearance, the finished opening **MUST** be at least **2 INCHES GREATER** than the diameter of the staircase kit.

To complete your project a BALCONY RAIL kit is available. The BALCONY RAIL kit comes complete with 10 balusters, handrail, and all the necessary hardware to complete a 3 ft. 11 1/4" installation. The BALCONY RAIL kit is available in the same colors as the CIVIK staircase kit.

SAFETY BARS are available in a set of 12 to close off the back of the treads (this way a 4" sphere will not pass through).

Each CIVIK staircase kit is shipped complete with detailed assembly instructions and a DVD to assist in your installation. You can also view an installa-



**IMPORTANT: CONSULT YOUR LOCAL BUILDING INSPECTOR FOR ANY QUESTIONS AND SPECIFICS REGARDING COMPLIANCE WITH THE LOCAL BUILDING CODES PRIOR TO PURCHASE.**

# CIVIK SPECS

**Material:** Steel

**Tread Material:** Steel with black durable non-slip PVC tread covers

**Tread Length:**

3 Ft. 11 1/4" 20 1/4"

4 Ft. 7 1/8" 24 1/2"

5 Ft. 3" 28 1/2"

**Total Tread Depth:** 10 1/2"

**Clear Tread Depth:** 7 1/2" at 12" from the inside edge of the center pole

**Handrail Material:** 1 3/4" Ø flexible aluminum core with black vinyl cover

**Available Colors / Finish Premium Semi-Gloss:** BLACK (RAL 9017) - WHITE (RAL 9010) - GREY (RAL 9006)

**Center Pole:** 2 3/8" Ø, 4 Ft. 1" long

(2 pieces included in the stair kit)

**Landing width for 60° triangular landing:**

3 Ft. 11 1/4" 27"

4 Ft. 7 1/8" 31"

5 Ft. 3" 35"



**Rise between treads:** Adjustable 8 3/8—9 1/4"

**Turn of spiral:** Clockwise or counter-clockwise

**Base plate size:** 8 3/4" Ø with 3 bolt holes, wood or concrete attachment (4" concrete lag bolts included)

**Height Ranges:** Standard Kit from 8 Ft. 3 5/8" to 10 Ft. 1/8"

From 6 Ft. 10 5/8" to 12 Ft. 4" (**with additional pieces**)

**Balcony Rail Kits:** 3 Ft. 11 1/4" length, overall height 39"

Contents: 10 balusters / spindles, all hardware & fasteners, 47" handrail, end caps and brace bar. The distance between the balusters is 4"

**Accessories:** **Additional center pole 32" length, used to increase or lower the standard stair kit**

**Weight Capacity:** **1022 LBS**

**Box Kit Dimensions for :**

3 Ft. 11 1/4" 23" x 37" x 44" 400 LBS


4 Ft. 7 1/8" 23" x 37" x 49" 460 LBS

5 Ft. 3" 23" x 39" x 49" 560 LBS


**Warranty:** 1-year for manufacturer defects

## **BUILDING CODE REQUIREMENTS**

Ultimately the question of code compliance is a local matter. A municipality may have its own specific requirements. Local building inspectors and code compliance officers often have different interpretations of the International Residential Code (IRC), International Building Code (IBC), or the older ICBO, CABO or SBCCI codes. Some municipalities may have specific handrail, baluster, and riser code requirements. Often the local code requirements for a secondary stair or a stair that serves an open loft area will be much less stringent. **\*\*\*It is the customer's responsibility to consult with the local building inspector or code compliance officer for information with respect to local code requirements.\*\*\*** All our prices are quoted



2000 mm / 6'6"  
passaggio utile sotto pianerottolo  
minimum headroom



Ø1600mm Ø5'3"

alzata minima/ minimum rise = 210 mm/8 1/4"  
alzata massima/maximum rise = 235 mm/9 1/4"

**fontanot 5'3" CIVIK SPIRAL STAIR CASE**

PROPRIETÀ RISERVATA DELLA	DISEGNATO	APPROVATO	DATA	SCALA	CODICE	ARCHIVO DIS
ALBINI & FONTANOT SPA			15-06-10	1.5	-	AU

# CIVIK

Diameter 3' 11¼"		STANDARD KIT		CUSTOM HEIGHTS REQUIRE ACCESSORIES				
Ceiling Height	From: To:	8' 3¼"	8' 11½"	6' 10⅝"	7' 7"	9' 7¾"	10' 4"	11' 1¼"
		9' 3"	10' ⅞"	7' 8½"	8' 5⅝"	10' 9½"	11' 6⅝"	12' 4"
Risers (including landing)		12	13	10	11	14	15	16
Civik Stair Kit		1	1	1	1	1	1	1
Additional Riser Kit						1	2	3
Additional Handrail Kit							1	1
Center Pole Kit 2'8 ¼"				1	1		2	1
Total # of items		1	1	2	2	2	6	6

Diameter 4' 7⅞"		STANDARD KIT		CUSTOM HEIGHTS REQUIRE ACCESSORIES				
Ceiling Height	From: To:	8' 3¼"	8' 11½"	6' 10⅝"	7' 7"	9' 7¾"	10' 4"	11' 1¼"
		9' 3"	10' ⅞"	7' 8½"	8' 5⅝"	10' 9½"	11' 6⅝"	12' 4"
Risers (including landing)		12	13	10	11	14	15	16
Civik Stair Kit		1	1	1	1	1	1	1
Additional Riser Kit						1	2	3
Additional Handrail Kit							1	1
Center Pole Kit 2'8 ¼"				1	1		2	1
Total # of items		1	1	2	2	2	6	6

Diameter 5' 3"		STANDARD KIT		CUSTOM HEIGHTS REQUIRE ACCESSORIES				
Ceiling Height	From: To:	8' 3¼"	8' 11½"	6' 10⅝"	7' 7"	9' 7¾"	10' 4"	11' 1¼"
		9' 3"	10' ⅞"	7' 8½"	8' 5⅝"	10' 9½"	11' 6⅝"	12' 4"
Risers (including landing)		12	13	10	11	14	15	16
Civik Stair Kit		1	1	1	1	1	1	1
Additional Riser Kit						1	2	3
Additional Handrail Kit							1	1
Center Pole Kit 2'8 ¼"				1	1		2	1
Total # of items		1	1	2	2	2	6	6

5'3" Meets IRC Code requirements - 2 units can be stacked

## CIVIK SPECIAL ORDER INFORMATION

<b>K03002</b>	<b>CIVIK STAIRKIT 3' 11" WHITE</b>
<b>K03004</b>	<b>CIVIK STAIRKIT 4' 7" WHITE</b>
<b>K03006</b>	<b>CIVIK STAIRKIT 5' 3" WHITE</b>
K03008	CIVIK ADDITIONAL RISER 3' 11" WHITE
K03010	CIVIK ADDITIONAL RISER 4' 7" WHITE
K03012	CIVIK ADDITIONAL RISER 5' 3" WHITE
<b>K03016</b>	<b>CIVIK STAIRKIT 3' 11" BLACK</b>
<b>K03018</b>	<b>CIVIK STAIRKIT 4' 7" BLACK</b>
<b>K03020</b>	<b>CIVIK STAIRKIT 5' 3" BLACK</b>
K03022	CIVIK ADDITIONAL RISER 3' 11" BLACK
K03024	CIVIK ADDITIONAL RISER 4' 7" BLACK
<b>K03026</b>	<b>CIVIK ADDITIONAL RISER 5' 3" BLACK</b>
<b>K03030</b>	<b>CIVIK STAIRKIT 3' 11" GREY</b>
<b>K03032</b>	<b>CIVIK STAIRKIT 4' 7" GREY</b>
<b>K03034</b>	<b>CIVIK STAIRKIT 5' 3" GREY</b>
K03036	CIVIK ADDITIONAL RISER 3' 11" GREY
K03038	CIVIK ADDITIONAL RISER 4' 7" GREY
K03040	CIVIK ADDITIONAL RISER 5' 3" GREY

## ACCESSORIES

K03013	CIVIK BALCONY RAIL KIT WHITE (47 INCHES)
K03027	CIVIK BALCONY RAIL KIT BLACK (47 INCHES)
K03041	CIVIK BALCONY RAIL KIT GREY (47 INCHES)
<b>K00000</b>	<b>CENTER POLE 32 INCH TO INCREASE OR LOWER THE STAIRCASE</b>
<b>K00002</b>	<b>CIVIK ADDITIONAL HANDRAIL (47 INCHES)</b>
K00003	CIVIK RISERBAR BLACK (PACK-12)
K00004	CIVIK RISERBAR WHITE (PACK-12)
K00005	CIVIK RISERBAR GREY (PACK-12)
K00006	CIVIK ADD RISERBAR BLACK (PACK-1)
K00007	CIVIK ADD RISERBAR WHITE (PACK-1)
K00008	CIVIK ADD RISERBAR GREY (PACK-1)